

# **U.S. Army Corps of Engineers Alaska District**



**2013 SAMPLING CONDUCTED IN  
CONJUNCTION WITH THE 2013 FIVE-YEAR  
REVIEW AT  
NORTHEAST CAPE**

**NORTHEAST CAPE  
ST. LAWRENCE ISLAND, ALASKA**

**FUDS No. F10AK0969-03**

**Final  
February 2014**

F10AK096903\_07.11\_0504\_p  
200-1f

**U.S. Army Corps of Engineers Alaska District**

**2013 SAMPLING CONDUCTED IN  
CONJUNCTION WITH THE 2013 FIVE-YEAR  
REVIEW AT  
NORTHEAST CAPE**

**NORTHEAST CAPE  
ST. LAWRENCE ISLAND, ALASKA**

**FUDS No. F10AK0969-03**

**Final  
February 2014**

## TABLE OF CONTENTS

<b><u>SECTION</u></b>	<b><u>PAGE</u></b>
ACRONYMS AND ABBREVIATIONS .....	iii
EXECUTIVE SUMMARY .....	ES-1
1.0 INTRODUCTION .....	1-1
1.1 OBJECTIVES .....	1-1
1.2 SCOPE OF WORK .....	1-1
1.3 FIELD CHANGE FORMS .....	1-2
2.0 FIELD INVESTIGATION ACTIVITIES.....	2-1
2.1 SAMPLING AND ANALYTICAL APPROACH .....	2-1
2.2 SURFACE WATER SAMPLING .....	2-2
2.3 GROUNDWATER GRAB SAMPLING.....	2-2
2.4 LAND SURVEYING .....	2-3
2.5 WASTE MANAGEMENT .....	2-4
3.0 INVESTIGATION RESULTS .....	3-1
3.1 SURFACE WATER SAMPLING RESULTS.....	3-1
3.2 GROUNDWATER GRAB SAMPLING RESULTS .....	3-3
3.3 DATA EVALUATION.....	3-4
4.0 CONCLUSIONS.....	4-1
4.1 CARGO BEACH ROAD LANDFILL (SITE 7) .....	4-1
4.2 HOUSING AND OPERATIONS LANDFILL (SITE 9).....	4-2
4.3 KANGUKHSAM MOUNTAIN SPRING.....	4-3
5.0 REFERENCES.....	5-1

## TABLE OF CONTENTS (Continued)

<u>SECTION</u>		<u>PAGE</u>
<b>TABLES</b>		
Table 2-1	Liquid Waste Quantities .....	2-4
Table 3-1	Surface Water Parameters Prior to Sampling .....	3-1
Table 3-2	Groundwater Parameters Prior to Sampling .....	3-3

## APPENDICES

Appendix A	Figures	
Appendix B	Data Quality Assessment, ADEC Checklists, and Supporting Documentation	
Appendix C	Field Documentation	
Appendix D	Photograph Log	
Appendix E	Waste Tracking	
Appendix F	Survey Data	
Appendix G	Response to Comments	



## ACRONYMS AND ABBREVIATIONS

ADEC	Alaska Department of Environmental Conservation
BERS	Bristol Environmental Remediation Services, LLC.
bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
COC	contaminant of concern
DRO	diesel-range organics
EPA	U.S. Environmental Protection Agency
FUDS	Formerly Used Defense Site
GRO	gasoline-range organics
HTRW	hazardous, toxic, or radioactive waste
Jacobs	Jacobs Engineering Group
KMS	Kangukhsam Mountain Spring
mL	milliliter
PAH	polycyclic aromatic hydrocarbons
PCB	polychlorinated biphenyls
QAPP	Quality Assurance Project Plan
QC	quality control
RCRA	Resource Conservation and Recovery Act
RRO	residual-range organics
USACE	U.S. Army Corps of Engineers
µm	micron

(intentionally blank)

## EXECUTIVE SUMMARY

This Report describes sample collection activities conducted at three Northeast Cape sites on St. Lawrence Island, Alaska, which were performed in order to facilitate the first five-year review. Although the five-year review site inspections coincided with the September sample collection, those activities will be described in a separate report.

Sampling activities occurred on 11 and 12 September 2013 at approved locations, as identified in the *Supplement to the Northeast Cape HTRW Remedial Actions Quality Assurance Project Plan* (U. S. Army Corps of Engineers [USACE] 2013b). A summary of the collection activities are listed below:

- At Cargo Beach Road Landfill (Site 7), surface water was collected from three locations and submitted to an offsite analytical laboratory for analysis. Groundwater grab sampling was attempted at four locations downgradient of the landfill. Drive point refusal was encountered at depths ranging from 6 to 30 inches below ground surface, due to large rocks. Groundwater was not encountered during the attempts and sampling was discontinued following consultation with USACE.
- At Housing and Operations Landfill (Site 9), surface water was collected from three locations and submitted to an offsite analytical laboratory for analysis. A single groundwater grab sample was collected from Site 9. Limited water production of 2.5 milliliters (mL) per minute from the drive point screened interval was less than the work plan-specified rate of 250 mL per minute. Sufficient volume was obtained for gasoline-range organics (GRO); benzene, toluene, ethylbenzene, and xylenes (BTEX); and dissolved (field filtered) Resource Conservation and Recovery Act (RCRA) metals with zinc analysis. Groundwater collection was halted following consultation with USACE.
- At Kangukhsam Mountain Spring, surface water was collected from one location and submitted to an offsite analytical laboratory for analysis.

All sample results were compared to the project cleanup level and no exceedances were identified.

(intentionally blank)

## **1.0 INTRODUCTION**

The Northeast Cape site is located on St. Lawrence Island, Alaska approximately 135 air miles southwest of Nome (Figure A-1). The Village of Savoonga is the closest community, and is located 60 miles northwest of the site (Figure A-2). The Northeast Cape site was constructed as an Aircraft Control and Warning Station during 1950 and 1951, and provided radar coverage and surveillance as part of the Alaska Early Warning System until 1972. The site encompasses approximately 4,800 acres (7.5 square miles) and is bounded by Kitnagak Bay to the northeast, Kangighsak Point to the northwest, and the Kinipaghulghat Mountains to the south. The Northeast Cape site, classified as a Formerly Used Defense Site (FUDS), is comprised of 34 individual sites. These individual sites have previously been subject to several phased remedial investigations and/or removal actions.

Site-specific sampling was requested by community members at the two landfill sites and the seasonal drinking water source, Kangukhsam Mountain Spring (Figure A-3). Sampling activities coincided with five-year review site inspections.

### **1.1 OBJECTIVES**

The purpose of this sampling effort is to determine if site-specific contaminants of concern (COC) are present in groundwater and/or surface water at the Cargo Beach Road Landfill (Site 7), the Housing and Operations Landfill (Site 9), or Kangukhsam Mountain Spring.

### **1.2 SCOPE OF WORK**

The definable features of work include the following:

- Collection of one surface water sample from Kangukhsam Mountain Spring
- Collection of one surface water sample from three locations within Cargo Beach Road Landfill (Site 7)
- Attempt collection of one groundwater grab sample from Cargo Beach Road Landfill (Site 7)
- Collection of one surface water sample from three locations within Housing and Operations Landfill (Site 9)

- Collection of one groundwater grab sample from Housing and Operations Landfill (Site 9)
- Management of investigation-derived waste

### **1.3 FIELD CHANGE FORMS**

Work described in this report was conducted in accordance with the *Supplement to the Northeast Cape HTRW Remedial Actions Quality Assurance Project Plan* (USACE 2013b). Deviations from the Work Plan and/or approved field changes were not generated from this sampling effort.

## 2.0 FIELD INVESTIGATION ACTIVITIES

Surface water and/or groundwater samples were collected from three Northeast Cape sites between 11 September 2013 and 12 September 2013. Jacobs personnel travelled from Anchorage to Nome via commercial airline, and from Nome to the Northeast Cape site via charter aircraft. While onsite, personnel were housed within a temporary camp maintained by Bristol Environmental Remediation Services, LLC (BERS). Throughout the duration of the sampling activities, BERS was onsite completing work described in the *Northeast Cape HTRW Remedial Actions Work Plan, Revision 1* (USACE 2013a). Ambient temperatures ranged from 35 to 40 degrees Fahrenheit (°F) during the sampling effort.

### 2.1 SAMPLING AND ANALYTICAL APPROACH

Individual sites within the Northeast Cape site were accessed via existing site roads. Sampling locations were identified using existing landmarks and verified with the onsite USACE Quality Assurance Representative prior to sampling.

Sampling at the Northeast Cape site included the collection of both unfiltered and filtered water samples. Unfiltered water samples were used for analysis of gasoline-range organics (GRO) by Alaska Method 101 (AK101), diesel-range organics (DRO) by AK102, residual-range organics (RRO) by AK103, benzene, toluene, ethylbenzene, and xylenes (BTEX) by U.S. Environmental Protection Agency (EPA) Method SW8260C, polycyclic aromatic hydrocarbons (PAH) by EPA Method SW8270-SIM, polychlorinated biphenyls (PCB) by EPA Method SW8082, eight Resources Conservation and Recovery Act (RCRA) metals, and zinc by EPA Method SW6020A/SW7471. Filtered water samples were collected for analysis of dissolved metals, which was performed using a disposable 0.45-micron ( $\mu\text{m}$ ) in-line water filter attached to a peristaltic pump. Filtered water was transferred to sample containers provided by the laboratory and used for analysis of eight RCRA metals and zinc by EPA Method SW6020A/SW7471. In addition, filtered and unfiltered water samples collected from Cargo Beach Road Landfill (Site 7) were also analyzed for nickel using EPA Method SW6020A.

A pin flag or lathe was placed at the sampling location to allow for later identification during surveying. Observations, sampling information, and field parameter readings were recorded in the field logbook and/or field sampling forms provided in Appendix C. Photographs relevant to this sampling effort are included in the photograph log (Appendix D). The logbook (Appendix C) was shared between two field teams during this field effort and includes additional photographs and field activities not related to site-specific sampling efforts.

## **2.2 SURFACE WATER SAMPLING**

Surface water samples were collected from Cargo Beach Road Landfill (Site 7), Housing and Operations Landfill (Site 9), and Kangukhsam Mountain Spring. Samples were collected near the shoreline, slightly below the surface of the water. A disposable Teflon<sup>®</sup> dipper was used to retrieve the surface water at each location in accordance with the procedures detailed in the *Supplement to the Northeast Cape HTRW Remedial Actions Quality Assurance Project Plan* (USACE 2013b). Sampling locations are shown in Figures A-4, A-5, and A-6.

## **2.3 GROUNDWATER GRAB SAMPLING**

Groundwater grab sampling was attempted downgradient of Cargo Beach Road Landfill (Site 7) and Housing and Operations Landfill (Site 9). A 30-inch screened drive point was attached to a 36-inch drive rod (totaling 66 inches in length) and advanced into the subsurface using hand tools until groundwater was encountered or refusal was met.

At Cargo Beach Road Landfill (Site 7), large rocks were visible at the surface near the proposed groundwater grab sample location north of the landfill cap. The first attempt to advance the drive point resulted in a ground penetration of 6 inches before refusal was met. The onsite USACE Quality Assurance Representative was consulted along with the USACE Project Manager and a decision was made to step out from the planned groundwater grab sampling location. The drive point was advanced at three additional locations and met with refusal each time. The greatest depth reached during these attempts was 30 inches below ground surface (bgs) and recoverable water was not observed; therefore, groundwater grab



sampling was halted. Figure A-4 displays the attempted groundwater grab sample locations at Cargo Beach Road Landfill (Site 7).

At Housing and Operations Landfill (Site 9), the terrain near the groundwater grab sample location appeared to be tundra with little exposed rock. The drive point was advanced and achieved a ground penetration of 48 inches before resistance – possibly due to permafrost – was noticed. Water was found in the drive point and eventually stabilized at 33 inches bgs as measured by a water level probe.

An unused ¼-inch inside diameter polyethylene tube was inserted through the drive rod (until it was below the water surface) and attached to a peristaltic pump. The pump was set to the lowest speed and water was removed from the drive point into a graduated beaker to determine the flow. The flow rate was found to be 2.5 mL per minute, which is far below the minimum acceptable flow rate of 250 mL per minute, as established in the work plan. Although groundwater production from the well point was low, sufficient volume was collected over a two-hour period for field parameter measurements and to fill sample containers for BTEX, GRO, and dissolved (field filtered) RCRA metals with zinc analysis. The onsite USACE Quality Assurance Representative was consulted along with the USACE Project Manager regarding the limited water production, and groundwater sampling was discontinued. Figure A-5 displays the Housing and Operations Landfill (Site 9) groundwater grab sample location.

## **2.4 LAND SURVEYING**

An optical survey was performed in order to record the sampling and attempted sampling locations. Surveying was conducted by Eco-Land, LLC, a professional land surveyor, subcontracted by BERS. Horizontal data are presented in feet, using the Alaska State Plane Zone 9 projection and the North American Datum of 1983. Survey data tables relevant to sampling locations, and compliant with the *Manual for Electronic Deliverables* (USACE 2011), will be included with the Remedial Actions Report prepared by BERS. An abbreviated survey data table is included in Appendix F.

## 2.5 WASTE MANAGEMENT

Waste was transported and disposed of in accordance with all applicable local, state, and federal regulations. Investigation-derived waste included used personal protective equipment, disposable filters and bailers, calibration and decontamination water, and general refuse. Solid waste was stored in a contractor bag, co-mingled with BERS waste onsite, and disposed of by BERS in accordance with the *Northeast Cape HTRW Remedial Actions Work Plan, Revision 1* (USACE 2013a). Liquid waste was stored in a 5-gallon bucket and transported to Anchorage, Alaska by Jacobs personnel, then transferred to Emerald Waste Services in Palmer, Alaska for disposal. Liquid waste quantities are summarized in Table 2-1; the liquid waste manifest and certificate of disposal are included in Appendix E.

**Table 2-1  
Liquid Waste Quantities**

<b>Waste Type</b>	<b>Number of Containers</b>	<b>Disposal Quantity</b>
Non-hazardous Wastewater	1	5-gallon bucket

### 3.0 INVESTIGATION RESULTS

This section summarizes the field and analytical results for the 2013 sampling activities, which were conducted at the Northeast Cape site by Jacobs. The sample summary table, complete analytical results, and assessment of data quality are included in Appendix B.

#### 3.1 SURFACE WATER SAMPLING RESULTS

Prior to sampling, field parameters were recorded directly from the water source using a YSI water quality meter and a Micro turbidimeter. Surface water parameters measured prior to sampling are provided in Table 3-1.

**Table 3-1  
Surface Water Parameters Prior to Sampling**

Site ID	Sampling Location	Temperature (°C)	Conductivity (µS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)
KMS	KMS-WS01	4.26	32	17.713	6.31	186.2	0.56
Site 7	7LF-WS01	11.42	42	10.767	6.06	179.9	166.2
Site 7	7LF-WS02	12.77	45	10.251	6.1	160.0	33.44
Site 7	7LF-WS03	11.59	35	11.99	6.64	127.3	2.67
Site 9	9LF-WS01 9LF-WS02 <sup>1</sup>	6.09	36	11.19	5.4	203.8	19.27
Site 9	9LF-WS03	6.07	38	20.022	6.02	172.2	0.54
Site 9	9LF-WS04	7.96	66	10.286	6.34	150.9	210.2

**Notes:**

<sup>1</sup>Sampling locations 9LF-WS01 and 9LF-WS02 are a duplicate pair

°C = Degrees Celsius

DO = dissolved oxygen

KMS = Kangukhsam Mountain Spring

µS/cm = microSiemens per centimeter

mg/L = milligrams per liter

mV = millivolts

NTU = nephelometric turbidity units

ORP = oxidation reduction potential

Turbidity readings for sampling locations 7LF-WS01 and 9LF-WS04 were found to be much greater than other nearby sampling locations. Sampling locations 7LF-WS01 and 9LF-WS04 are located immediately adjacent to the landfill caps for each site and were noted as being turbid with no apparent odor or sheen. Field observations by Jacobs personnel did not identify

any recent disturbances or possible landfill cap erosion that could have contributed to the high turbidity readings.

Seven primary surface water samples and one duplicate sample were collected and sent to ALS Environmental, Inc. (ALS) for analysis. Analytical results were compared to project cleanup levels obtained from Table 15-3 of the *Northeast Cape HTRW Remedial Actions Work Plan, Revision 1* (USACE 2013a), using the cleanup levels from the “Cleanup levels from 2009 Decision Document” column (USACE 2009). Surface water analytical results are presented in the following subsections.

#### **Cargo Beach Road Landfill (Site 7)**

Three primary surface water samples were collected for analysis of GRO, DRO, RRO, BTEX, PAHs, PCBs, eight RCRA metals, nickel, and zinc. Sampling locations are shown in Figure A-4.

Analytes did not exceed project cleanup levels in surface water samples collected from this site. The complete analytical results table is provided in Appendix B.

#### **Housing and Operations Landfill (Site 9)**

Three primary surface water samples and one duplicate sample were collected for analysis of GRO, DRO, RRO, BTEX, PAHs, PCBs, eight RCRA metals and zinc. Sampling locations are shown in Figure A-5.

Analytes did not exceed project cleanup levels in surface water samples collected from this site. The complete analytical results table is provided in Appendix B.

#### **Kangukhsam Mountain Spring**

One surface water sample was collected and analyzed for GRO, DRO, RRO, BTEX, PAHs, PCBs, eight RCRA metals, and zinc. This sampling location is shown in Figure A-6.

Analytes did not exceed project cleanup levels in surface water samples collected from this site. The complete analytical results table is provided in Appendix B.

### 3.2 GROUNDWATER GRAB SAMPLING RESULTS

Groundwater grab sampling was attempted at locations downgradient from Cargo Beach Road Landfill (Site 7) and Housing and Operations Landfill (Site 9). Due to the limitations described in Section 2.3, only one primary groundwater grab sample was collected from Housing and Operations Landfill (Site 9); it was sent to ALS for analysis. Analytical results were compared to the project cleanup levels obtained from Table 15-3 of the *Northeast Cape HTRW Remedial Actions Work Plan, Revision 1* (USACE 2013a), using the cleanup levels from the “Cleanup levels from 2009 Decision Document” column (USACE 2009).

Prior to sampling, field parameters including: temperature, pH, dissolved oxygen, conductivity, oxidation-reduction potential, and turbidity, were recorded using a YSI water quality meter and a Micro turbidimeter. Groundwater parameters measured at the time of sampling are provided in Table 3-2.

**Table 3-2  
Groundwater Parameters Prior to Sampling**

Site ID	Sampling Location	Temperature (°C)	Conductivity (µS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)
Site 9	9LF-WG01-2	6.22	132	0.73	5.44	177	9999 <sup>1</sup>

**Notes:**

<sup>1</sup> A reading of “9999” indicates an over range error code.

°C = Degrees Celsius

DO = dissolved oxygen

µS/cm = microSiemens per centimeter

mg/L = milligrams per liter

mV = millivolts

NTU = nephelometric turbidity units

ORP = oxidation reduction potential

#### **Cargo Beach Road Landfill (Site 7)**

Groundwater grab samples were not collected from Cargo Beach Road Landfill (Site 7).

#### **Housing and Operations Landfill (Site 9)**

One primary groundwater grab sample was collected from this site. Sediment and organics in the groundwater continually blocked the flow of groundwater through the screen, resulting in a groundwater production rate of approximately 2.5 milliliters per minute (mL/min). The

groundwater production rate resulted in a limited quantity of groundwater available for analysis. A sufficient volume of groundwater was collected for the analysis of GRO by AK101, BTEX by SW8260C, and dissolved (field filtered) RCRA metals with zinc by SW6020A/SW7471.

Although the analysis of DRO by AK102, RRO by AK103, PAHs by SW8270-SIM, and PCBs by SW8082 were planned, insufficient water production from the well point and the volume of water required to fill the sample containers (six liters) made collection impractical. An unfiltered sample volume for RCRA metals with zinc by SW6020A/SW7471 analysis was not collected due to high turbidity.

GRO, BTEX, and dissolved metals (RCRA metals with zinc) did not exceed project cleanup levels in groundwater obtained from Site 9. The complete analytical results table is provided in Appendix B.

### **3.3 DATA EVALUATION**

Data quality was assessed through the review of the laboratory case narrative, laboratory data deliverables, and completion of ADEC checklists. A review of the analytical results and associated QC samples was performed by the Jacobs Project Chemist, as per the *Work Plan* (USAF 2013b).

Data quality was evaluated against the following requirements: U.S. Department of Defense *Quality Systems Manual for Environmental Laboratories*, version 4.2 (U.S. Department of Defense 2010); ADEC and EPA analytical methods (ADEC 2008; EPA 2007); and laboratory limits. Qualifiers were applied to sample results that did not meet the project data quality objectives. Qualified results are considered estimated and, whenever possible, indicated as biased high or low.

The data assessment found the overall quality of the project data to be acceptable and no results were rejected. The complete dataset, in addition to details of the data validation, is provided in the Data Quality Assessment (Appendix B).

## 4.0 CONCLUSIONS

Surface water and groundwater results collected during the 2013 sampling effort did not detect analytes greater than the project cleanup levels.

### 4.1 CARGO BEACH ROAD LANDFILL (SITE 7)

This site has been subject to several remedial efforts, including: investigation of metallic anomalies, removal of approximately 50 drums and 50 cubic yards of severely stained soils, placement of a minimum 2-foot thick, gravel landfill cap in 2009, and revegetation.

Previously identified COCs in surface water include DRO, which was detected in one surface water sample at a concentration of 8.9 mg/L in 1994 (USACE 2007). Groundwater grab samples collected in 2001, approximately 200 feet downgradient of the surface water exceedance, did not contain DRO greater than cleanup levels. Alternatively, lead and RRO were detected at concentrations exceeding cleanup levels (USACE 2007).

The 1994 surface water sampling location was not available for resampling in 2013 because the area had previously been covered by the landfill cap in 2009. As an alternative, site surface water was collected from three ponds located near the base of the landfill cap. The locations were selected as a representative subset of site surface water. Surface water sampling locations are shown in Figure A-4. Surface water samples were analyzed for DRO, RRO, GRO, BTEX, PAHs, PCBs, RCRA metals, nickel, and zinc. Analytical results did not exceed project cleanup levels in surface water samples from this site.

The 2013 groundwater grab sampling was attempted near the 2001 groundwater grab sampling locations; however, as described previously in Section 2.3, groundwater grab samples could not be collected because refusal was met at 30 inches bgs and groundwater was not present. Historically, sampling groundwater at this site has been quite difficult. Previous efforts to install temporary well points were successful at location WP 7-1 in 2001, yet required approximately three days before sampling could take place due to a low groundwater production rate. In some cases, the sampling points purged dry after 48 hours, without producing the required sampling volume (USACE 2007). Two groundwater grab samples

(WP7-2 and WP7-3) collected in 2001 were obtained by digging ‘pits’ to 36 to 40 inches bgs and allowing them to fill with water prior to sampling.

Significant effort will be required to install and maintain permanent monitoring wells at Cargo Beach Road Landfill (Site 7). The use of a tracked drill rig in addition to air rotary or sonic drilling methods would likely be needed for the successful installation of a monitoring well at this location. Walking the needed the drill rig to boring locations would subject the fragile tundra and surface vegetation to disturbance. Additionally, any monitoring wells would likely be subject to frost jacking due the extreme variability of seasonal conditions.

#### **4.2 HOUSING AND OPERATIONS LANDFILL (SITE 9)**

This site has been subject to several remedial actions, including placement of a minimum 2-foot thick, gravel landfill cap in 2010, removal of debris from nearby streams, construction of a diversion trench, and revegetation.

Sampling of groundwater in 2001 identified lead, RRO, beryllium, and antimony above cleanup levels at locations downgradient, to the north, east, and west of the landfill (USACE 2007). Figure A-5 shows historical sampling locations from 2001 that exceed cleanup levels. Groundwater sampling in 2013 was located at a downgradient location east of the landfill cap, and did not detect GRO, BTEX, filtered RCRA metals, or zinc above project cleanup levels. Future sampling efforts at this site may benefit from sampling near the 2001 locations that produced sufficient quantities of groundwater and contained contaminants at levels greater than cleanup levels.

Historical analysis of surface water samples did not detect contaminants greater than cleanup levels (USACE 2009). In 2013, surface water samples were collected from a pond located immediately north of the landfill cap and at the northern and southern extents of the constructed diversion trench, located downgradient and immediately adjacent to the landfill cap. Sampling locations are shown in Figure A-5. Analytical results indicate that contaminants did not exceed project cleanup levels.



### **4.3 KANGUKHSAM MOUNTAIN SPRING**

This site was added as a sampling location at the Northeast Cape site after a request from a local community member. The spring is located to the south of the Northeast Cape site, near the Lower Tramway (Site 32), and is used as a seasonal drinking water source. Surface water samples were collected from an area likely to be used for drinking water, upgradient from many of the Northeast Cape sites. Analysis of these samples did not detect contaminants exceeding project cleanup levels.

(intentionally blank)


## 5.0 REFERENCES

- Alaska Department of Environmental Conservation (ADEC). 2008
- USACE (U.S. Army Corps of Engineers). 2013a (June). *Northeast Cape HTRW Remedial Actions Work Plan. Revision 1*. Prepared by Bristol Environmental Remediation Services, LLC.
- USACE. 2013b (September). *Supplement to the Northeast Cape HTRW Remedial Actions Quality Assurance Project Plan*. Prepared by Jacobs Engineering Group, Inc.
- USACE. 2011 (October). *Manual for Electronic Deliverables*. Prepared by USACE-Alaska District.
- USACE. 2009a (January). *Decision Document: Hazardous, Toxic, and Radioactive Waste (HTRW) Project #F10AK096903, Northeast Cape Formerly Used Defense Site (FUDS) St. Lawrence Island, Alaska*. Prepared by USACE-Alaska District.
- USACE. 2009b (June). *Decision Document: Site 7 Cargo Beach Road Landfill Containerized Hazardous, Toxic, and Radioactive Waste (CON-HTRW) Project #F10AK096905, Northeast Cape Formerly Used Defense Site (FUDS) St. Lawrence Island, Alaska*. Prepared by USACE-Alaska District.
- USACE. 2007 (March). *Feasibility Study: Hazardous, Toxic, and Radioactive Waste (HTRW) Project #F10AK096903, Northeast Cape Formerly Used Defense Site (FUDS) St. Lawrence Island, Alaska*. Prepared by USACE-Alaska District.
- U.S. Department of Defense. 2010.
- U.S. Environmental Protection Agency (EPA). 2007.

(intentionally blank)

**APPENDIX A**  
**Figures**






★ Northeast Cape (Site Location)



All Locations Are Approximate



WGS 1984 UTM Zone 2N

### NORTHEAST CAPE REMEDIAL ACTIONS VICINITY MAP

ST. LAWRENCE ISLAND, ALASKA


**JACOBS**

DATE:  
12 NOV 2013


PROJECT MANAGER:  
K. MAHER

FIGURE NO.:  
A-1





**Northeast Cape Site Location**




All Locations Are Approximate  
 WGS 1984 UTM Zone 2N Transverse Mercator  
 Basemap: USGS 250k DRG 1948

<b>NORTHEAST CAPE REMEDIAL ACTIONS LOCATION MAP</b>			
ST. LAWRENCE ISLAND, ALASKA			
<b>JACOBS</b>	DATE:	PROJECT MANAGER:	FIGURE NO:
	24 DEC 2013	K. MAHER	A-2

P:\StLawrenceIsland\MXD\T089\_NorthEastCape\StLawrenceLoc\_DRG.mxd beatwjc





- - - - Site Vicinity
- Road
- Landfill Cap Boundary
- - - - Former Structure
- Hydrologic Feature



All Locations Are Approximate

0 500 1,000 1,500 2,000  
Feet

WGS 1984 UTM Zone 2N

### NORTHEAST CAPE REMEDIAL ACTIONS VICINITY MAP

ST. LAWRENCE ISLAND, ALASKA


**JACOBS**

DATE:  
31 DEC 2013

PROJECT MANAGER:  
K. MAHER

FIGURE NO.:  
A-3





P:\StLawrenceIsland\IXD\T008\_NorthEastCape\StLawrenceSite7.mxd beatyjcj

- ● 1994 Historic Monitoring Well (Approx. Location)
- ● 2001 Historic Monitoring Well (Approx. Location)
- ⊕ Attempted Groundwater Sample
- × Surface Water Sample
- Area 7 Landfill Cap Boundary

N

All Locations Are Approximate



0 50 100 150 200  
Feet

NAD 1983 StatePlane Alaska 9 FIPS 5009 Feet

### NORTHEAST CAPE REMEDIAL ACTIONS SITE 7 - CARGO BEACH LANDFILL


ST. LAWRENCE ISLAND, ALASKA

<b>JACOBS</b>	DATE:	PROJECT MANAGER:	FIGURE NO.:
	31 DEC 2013	K. MAHER	A-4



P:\StLawrenceIsland\X\DT\009\_NorthEastCape\StLawrenceSite9.mxd beatyjcj

- 2001 Historic Monitoring Well (Approx. Location)
- Surface Water Sample
- Groundwater Sample
- Culvert
- Trench Edge
- Landfill Cap Boundary



**NORTHEAST CAPE REMEDIAL ACTIONS  
SITE 9 - HOUSING AND OPERATIONS LANDFILL**

ST. LAWRENCE ISLAND, ALASKA



DATE:  
31 DEC 2013

PROJECT MANAGER:  
K. MAHER

FIGURE NO.:  
A-5





168°57'20"W

168°57'10"W


63°18'N

63°17'55"N



- X Surface Water Sample
- █ Culvert
- Hydrologic Feature

- Road
- Former Structure



**NORTHEAST CAPE REMEDIAL ACTIONS  
KANGUKHSAM MOUNTAIN SPRING  
SAMPLE LOCATIONS**

ST. LAWRENCE ISLAND, ALASKA



DATE:  
31 DEC 2013

PROJECT MANAGER:  
K. MAHER

FIGURE NO.:  
A-6

## **APPENDIX B**

### **Data Quality Assessment, ADEC Checklists, and Supporting Documentation**

## 1.0 INTRODUCTION

A Data Quality Assessment and ADEC laboratory data review checklists were completed to assess the overall quality and usability of data from the 2013 NE Cape surface water and groundwater activities. The Jacobs Project Chemist performed a data quality review using the 2013 Supplement to the Northeast Cape HTRW Remedial Actions Work Plan (QAPP 2013).

This DQA, which appears as an appendix to the 2013 Sampling Report, contains analytical data tables, sample summary tables, and Alaska Department of Environmental Conservation (ADEC) Laboratory Data Review Checklists, organized into the following attachments:

- **Attachment B-1** contains the sample summary and analytical data tables.
- **Attachment B-2** presents tables of sample results that did not meet the project data quality objectives (DQO).
- **Attachment B-3** includes the ADEC Laboratory Data Review Checklists for each sample delivery group.
- **Attachment B-4** provides laboratory data in electronic format.

Seven primary water samples and one duplicate sample were submitted for gasoline-range organics (GRO); diesel-range organics (DRO); residual-range organics (RRO); polychlorinated biphenyls (PCBs); benzene, toluene, ethylbenzene, and xylene (BTEX); polycyclic aromatic hydrocarbons (PAH); dissolved metals; and total metals analysis. One primary sample was submitted for GRO, BTEX, and dissolved metals; there was insufficient sample volume for further analysis. One trip blank was submitted for GRO and BTEX. ALS Laboratories of Kelso, Washington, provided primary analytical support for these water samples.

## 2.0 DATA QUALITY SUMMARY

This evaluation consisted of a review of chain-of-custody (CoC) and sample receipt records; laboratory case narratives; and laboratory data, which includes analytical methodology, sample holding times, laboratory blanks, detection limit (DL), limit of detection (LOD), limit of quantitation (LOQ), surrogate recoveries, laboratory control sample (LCS) recoveries, matrix spike (MS) recoveries, and precision. Analytical data quality objectives (DQOs) were considered met when the quality of the sample data met precision, accuracy, representativeness,

completeness, comparability, and sensitivity requirements, as specified in the project Work Plan (QAPP 2013). Results were categorized as acceptable, estimated, or rejected (flagged R). Data was qualified according to the definitions at the bottom of the analytical data table (Attachment B-1). A completeness check of the laboratory data was performed to verify that the data packages and electronic files included all information requested.

The overall quality of the data was acceptable, as qualified with the anomalies below and described in the ADEC laboratory data review checklist.

- AK103 method blank (QC batch KWG1310602) had RRO concentrations above the detection limit. Associated samples that have a concentration within a factor of 10 of the method blank contamination are qualified B and are presented in Table B-2-1 (Attachment B-2). There is no impact on the data since results are biased high and less than the Project Action Limit of 1.1 mg/L.
- AK102/AK103 method blank (QC batch KWG1311318) extract was lost during the initial extraction. Samples were re-extracted within the holding time. During the re-extraction the extraction vial for sample 13-9LF-WS03-0 broke. There was insufficient sample for a third re-extraction. The results from the initial extraction were reported and qualified QN; they are presented in Table B-2-2 (Attachment B-2). The impact is minimal since results were less than the Project Action Limits and there is no bias.
- AK102 MS and MSD recoveries for DRO were less than AK series method criteria at 72% and 74%, respectively. Parent sample 13-9LF-WS01-0 was qualified ML, indicating a low bias due to matrix effects. Impacts are minimal since the DRO result was significantly less than the Project Action Limit. Qualified results are presented in Table B-2-3 (Attachment B-2).
- Field duplicate precision was evaluated by calculating the RPD between the primary sample 13-9LF-WS01-0 and duplicate sample 13-9LF-WS02-0. Multiple analytes had RPDs greater than 30% and were qualified QN. These results are presented in Table B-2-4 (Attachment B-2). The impact is minimal since in all cases the primary and duplicate were less than Project Action Limit.

**ATTACHMENT B-1**  
**Sample Summary and Analytical Data Tables**

**2013 Northeast Cape  
Sample Summary**

Sample ID	Location ID	Collection Date	Collection Time	Sampler	Quantity	Container Type	Container Volume	Preservative	Matrix	Analytical Method Requested	QC Type	TAT	Notes	COC Number	Cooler Name	Laboratory	SDG Number	Start Sample Depth (feet)	End Sample Depth (feet)
13-9LF-WS01-0	9LF-WS01	12-Sep-13	1000	CF/KM/JO	12	VOA	40 mL	HCl, 4 ± 2 °C	WS	AK101 (GRO) BTEX (SW8260)	MS/MSD	14		13NECAPE-01	Kilo	ALS	K1309641	0.00	0.50
13-9LF-WS02-0	9LF-WS02	12-Sep-13	1000	CF/KM/JO	4	VOA	40 mL	HCl, 4 ± 2 °C	WS	AK101 (GRO) BTEX (SW8260)	Dup	14		13NECAPE-01	Kilo	ALS	K1309641	0.00	0.50
13-9LF-WS03-0	9LF-WS03	12-Sep-13	1155	CF/KM/JO	4	VOA	40 mL	HCl, 4 ± 2 °C	WS	AK101 (GRO) BTEX (SW8260)		14		13NECAPE-01	Kilo	ALS	K1309641	0.00	0.50
13-9LF-WS04-0	9LF-WS04	12-Sep-13	1350	CF/KM/JO	4	VOA	40 mL	HCl, 4 ± 2 °C	WS	AK101 (GRO) BTEX (SW8260)		14		13NECAPE-01	Kilo	ALS	K1309641	0.00	0.50
13-9LF-WG01-2	9LF-WG01	12-Sep-13	1351	CF/KM/JO	4	VOA	40 mL	HCl, 4 ± 2 °C	WS	AK101 (GRO) BTEX (SW8260)		14		13NECAPE-01	Kilo	ALS	K1309641	2.00	2.50
13-KMS-WS01-0	KMS-WS01	12-Sep-13	1521	CF/KM/JO	4	VOA	40 mL	HCl, 4 ± 2 °C	WS	AK101 (GRO) BTEX (SW8260)		14		13NECAPE-01	Kilo	ALS	K1309641	0.00	0.50
13-7LF-WS01-0	7LF-WS01	12-Sep-13	1630	CF/KM/JO	4	VOA	40 mL	HCl, 4 ± 2 °C	WS	AK101 (GRO) BTEX (SW8260)		14		13NECAPE-01	Kilo	ALS	K1309641	0.00	0.50
13-7LF-WS02-0	7LF-WS02	12-Sep-13	1644	CF/KM/JO	4	VOA	40 mL	HCl, 4 ± 2 °C	WS	AK101 (GRO) BTEX (SW8260)		14		13NECAPE-01	Kilo	ALS	K1309641	0.00	0.50
13-7LF-WS03-0	7LF-WS03	12-Sep-13	1654	CF/KM/JO	4	VOA	40 mL	HCl, 4 ± 2 °C	WS	AK101 (GRO) BTEX (SW8260)		14		13NECAPE-01	Kilo	ALS	K1309641	0.00	0.50
13-TB01		12-Sep-13	0800		4	VOA	40 mL	HCl, 4 ± 2 °C	WS	AK101 (GRO) BTEX (SW8260)	Trip Blank			13NECAPE-01	Kilo	ALS	K1309641		
13-7LF-WS03-0	7LF-WS03	12-Sep-13	1654	CF/KM/JO	2	Amber	1 L	HCl, 4 ± 2 °C	WS	AK102 (DRO) AK103 (RRO)		14		13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-9LF-WS01-0	9LF-WS01	12-Sep-13	1000	CF/KM/JO	3	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn) SW7471 (Mercury)	MS/MSD	14	Filtered (0.45 µm)	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-9LF-WS01-0	9LF-WS01	12-Sep-13	1000	CF/KM/JO	3	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn) SW7471 (Mercury)	MS/MSD	14	Unfiltered	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-9LF-WS02-0	9LF-WS02	12-Sep-13	1000	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn) SW7471 (Mercury)	Dup	14	Filtered (0.45 µm)	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-9LF-WS02-0	9LF-WS02	12-Sep-13	1000	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn) SW7471 (Mercury)	Dup	14	Unfiltered	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-9LF-WS03-0	9LF-WS03	12-Sep-13	1155	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn) SW7471 (Mercury)		14	Filtered (0.45 µm)	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-9LF-WS03-0	9LF-WS03	12-Sep-13	1155	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn) SW7471 (Mercury)		14	Unfiltered	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-9LF-WS04-0	9LF-WS04	12-Sep-13	1350	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn) SW7471 (Mercury)		14	Filtered (0.45 µm)	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-9LF-WS04-0	9LF-WS04	12-Sep-13	1350	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn) SW7471 (Mercury)		14	Unfiltered	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-9LF-WG01-2	9LF-WG01	12-Sep-13	1351	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn) SW7471 (Mercury)		14	Low Volume Filtered (0.45 µm)	13NECAPE-02	Juliett	ALS	K1309641	2.00	2.50
13-KMS-WS01-0	KMS-WS01	12-Sep-13	1521	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn) SW7471 (Mercury)		14	Filtered (0.45 µm)	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-KMS-WS01-0	KMS-WS01	12-Sep-13	1521	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn) SW7471 (Mercury)		14	Unfiltered	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-7LF-WS01-0	7LF-WS01	12-Sep-13	1630	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn, Ni) SW7471 (Mercury)		14	Filtered (0.45 µm)	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-7LF-WS01-0	7LF-WS01	12-Sep-13	1630	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn, Ni) SW7471 (Mercury)		14	Unfiltered	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-7LF-WS02-0	7LF-WS02	12-Sep-13	1644	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn, Ni) SW7471 (Mercury)		14	Filtered (0.45 µm)	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-7LF-WS02-0	7LF-WS02	12-Sep-13	1644	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn, Ni) SW7471 (Mercury)		14	Unfiltered	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-7LF-WS03-0	7LF-WS03	12-Sep-13	1654	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn, Ni) SW7471 (Mercury)		14	Filtered (0.45 µm)	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-7LF-WS03-0	7LF-WS03	12-Sep-13	1654	CF/KM/JO	1	Poly	250 mL	HNO3, 4 ± 2 °C	WS	SW6020 (RCRA Metals, Zn, Ni) SW7471 (Mercury)		14	Unfiltered	13NECAPE-02	Juliett	ALS	K1309641	0.00	0.50
13-9LF-WS01-0	9LF-WS01	12-Sep-13	1000	CF/KM/JO	8	Amber	1 L	4 ± 2 °C	WS	SW8270 SIM (PAH) SW8082 (PCBs)	MS/MSD	14	1 additional container in 13NECAPE-04	13NECAPE-03	Charlie	ALS	K1309641	0.00	0.50
13-9LF-WS01-0	9LF-WS01	12-Sep-13	1000	CF/KM/JO	1	Amber	1 L	4 ± 2 °C	WS	SW8270 SIM (PAH) SW8082 (PCBs)	MS/MSD	14	8 additional container in 13NECAPE-03	13NECAPE-04	Mike	ALS	K1309641	0.00	0.50
13-9LF-WS01-0	9LF-WS01	12-Sep-13	1000	CF/KM/JO	6	Amber	1 L	HCl, 4 ± 2 °C	WS	AK102 (DRO) AK103 (RRO)	MS/MSD	14		13NECAPE-04	Mike	ALS	K1309641	0.00	0.50
13-9LF-WS02-0	9LF-WS02	12-Sep-13	1000	CF/KM/JO	1	Amber	1 L	HCl, 4 ± 2 °C	WS	AK102 (DRO) AK103 (RRO)	Dup	14		13NECAPE-04	Mike	ALS	K1309641	0.00	0.50
13-9LF-WS02-0	9LF-WS02	12-Sep-13	1000	CF/KM/JO	1	Amber	1 L	HCl, 4 ± 2 °C	WS	AK102 (DRO) AK103 (RRO)	Dup	14		13NECAPE-05	Alfa	ALS	K1309641	0.00	0.50
13-9LF-WS02-0	9LF-WS02	12-Sep-13	1000	CF/KM/JO	3	Amber	1 L	4 ± 2 °C	WS	SW8270 SIM (PAH) SW8082 (PCBs)	Dup	14		13NECAPE-05	Alfa	ALS	K1309641	0.00	0.50
13-9LF-WS03-0	9LF-WS03	12-Sep-13	1155	CF/KM/JO	3	Amber	1 L	4 ± 2 °C	WS	SW8270 SIM (PAH) SW8082 (PCBs)		14		13NECAPE-05	Alfa	ALS	K1309641	0.00	0.50
13-9LF-WS03-0	9LF-WS03	12-Sep-13	1155	CF/KM/JO	1	Amber	1 L	HCl, 4 ± 2 °C	WS	AK102 (DRO) AK103 (RRO)		14		13NECAPE-05	Alfa	ALS	K1309641	0.00	0.50
13-9LF-WS03-0	9LF-WS03	12-Sep-13	1155	CF/KM/JO	1	Amber	1 L	HCl, 4 ± 2 °C	WS	AK102 (DRO) AK103 (RRO)		14		13NECAPE-06	Hotel	ALS	K1309641	0.00	0.50
13-9LF-WS04-0	9LF-WS04	12-Sep-13	1350	CF/KM/JO	3	Amber	1 L	4 ± 2 °C	WS	SW8270 SIM (PAH) SW8082 (PCBs)		14		13NECAPE-06	Hotel	ALS	K1309641	0.00	0.50
13-9LF-WS04-0	9LF-WS04	12-Sep-13	1350	CF/KM/JO	2	Amber	1 L	HCl, 4 ± 2 °C	WS	AK102 (DRO) AK103 (RRO)		14		13NECAPE-06	Hotel	ALS	K1309641	0.00	0.50
13-KMS-WS01-0	KMS-WS01	12-Sep-13	1521	CF/KM/JO	2	Amber	1 L	HCl, 4 ± 2 °C	WS	AK102 (DRO) AK103 (RRO)		14		13NECAPE-06	Hotel	ALS	K1309641	0.00	0.50
13-KMS-WS01-0	KMS-WS01	12-Sep-13	1521	CF/KM/JO	3	Amber	1 L	4 ± 2 °C	WS	SW8270 SIM (PAH) SW8082 (PCBs)		14		13NECAPE-07	Echo	ALS	K1309641	0.00	0.50
13-7LF-WS01-0	7LF-WS01	12-Sep-13	1630	CF/KM/JO	2	Amber	1 L	HCl, 4 ± 2 °C	WS	AK102 (DRO) AK103 (RRO)		14		13NECAPE-07	Echo	ALS	K1309641	0.00	0.50
13-7LF-WS01-0	7LF-WS01	12-Sep-13	1630	CF/KM/JO	3	Amber	1 L	4 ± 2 °C	WS	SW8270 SIM (PAH) SW8082 (PCBs)		14		13NECAPE-07	Echo	ALS	K1309641	0.00	0.50
13-7LF-WS02-0	7LF-WS02	12-Sep-13	1644	CF/KM/JO	3	Amber	1 L	4 ± 2 °C	WS	SW8270 SIM (PAH) SW8082 (PCBs)		14		13NECAPE-08	Romeo	ALS	K1309641	0.00	0.50
13-7LF-WS02-0	7LF-WS02	12-Sep-13	1644	CF/KM/JO	2	Amber	1 L	HCl, 4 ± 2 °C	WS	AK102 (DRO) AK103 (RRO)		14		13NECAPE-08	Romeo	ALS	K1309641	0.00	0.50
13-7LF-WS03-0	7LF-WS03	12-Sep-13	1654	CF/KM/JO	3	Amber	1 L	4 ± 2 °C	WS	SW8270 SIM (PAH) SW8082 (PCBs)		14		13NECAPE-08	Romeo	ALS	K1309641	0.00	0.50



**2013 Northeast Cape  
Groundwater Analytical Data Table**

			Location ID	9LF-WG01	9LF-WG01
			Sample ID	13-9LF-WG01-2	13-9LF-WG01-2
			Lab Sample ID	130964106F	K130964106
			SDG	K1309641	K1309641
			Sample Date	9/12/2013	9/12/2013
			Matrix	WS	WS
			Laboratory	CASK	CASK
Method	Analyte	Units	Project Action Limit <sup>1</sup>		
AK101	Gasoline Range Organics (C6-C10)	mg/L	1.3	–	ND [0.025]
SW6020A	Arsenic	mg/L	0.01	0.00037 [0.00013] J	–
SW6020A	Barium	mg/L	2	0.00936 [0.00003]	–
SW6020A	Cadmium	mg/L	0.005	0.000032 [0.00001]	–
SW6020A	Chromium	mg/L	0.1	0.00109 [0.00005]	–
SW6020A	Lead	mg/L	0.015	0.000501 [0.00001]	–
SW6020A	Nickel	mg/L	0.1	–	–
SW6020A	Selenium	mg/L	0.05	ND [0.0005]	–
SW6020A	Silver	mg/L	0.1	0.00001 [0.00001] J	–
SW6020A	Zinc	mg/L	5	0.00906 [0.00025]	–
SW7470A	Mercury	mg/L	0.002	ND [0.00005]	–
SW8260C	Benzene	mg/L	0.005	–	0.00016 [0.0001] J
SW8260C	Ethylbenzene	mg/L	0.7	–	ND [0.0001]
SW8260C	o-Xylene	mg/L	10	–	ND [0.0002]
SW8260C	Toluene	mg/L	1	–	0.00032 [0.0001] J
SW8260C	Xylene, Isomers m & p	mg/L	10	–	ND [0.0002]

<sup>1</sup> Project action limit from 2013 QAPP (USACE 2013) and 18 AAC 75, Table C Groundwater Cleanup Levels (ADEC 2012)

– = No criteria/ Not analyzed

ND [LOD] = The analyte result is less than the limit of detection [value in brackets].

mg/L = milligram per liter

J = The analyte result is considered an estimated value because the reported result is below the limit of quantitation but above the detection limit (formerly the method detection limit).

SDG = sample delivery group

CASK = ALS Laboratories formerly known as Columbia Analytical Services of Kelso, WA

**2013 Northeast Cape  
Surface Water Analytical Data Table**

			Location ID Sample ID Lab Sample ID SDG Sample Date Matrix Laboratory	7LF-WS01 13-7LF-WS01-0 130964108F K1309641 9/12/2013 WS CASK	7LF-WS01 13-7LF-WS01-0 K130964108 K1309641 9/12/2013 WS CASK	7LF-WS02 13-7LF-WS02-0 130964109F K1309641 9/12/2013 WS CASK	7LF-WS02 13-7LF-WS02-0 K130964109 K1309641 9/12/2013 WS CASK	7LF-WS03 13-7LF-WS03-0 130964101F K1309641 9/12/2013 WS CASK	7LF-WS03 13-7LF-WS03-0 K130964101 K1309641 9/12/2013 WS CASK	9LF-WS01 13-9LF-WS01-0 130964102F K1309641 9/12/2013 WS CASK
Method	Analyte	Units	Project Action Limit <sup>1</sup>							
8270SIM	1-Methylnaphthalene	mg/L	–	–	0.000041 [0.000005]	–	0.000044 [0.000005]	–	0.000066 [0.000005]	–
8270SIM	2-Methylnaphthalene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	0.000025 [0.000005] J	–
8270SIM	Acenaphthene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Acenaphthylene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Anthracene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(a)anthracene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(a)pyrene	mg/L	0.0002	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(b)fluoranthene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(g,h,i)perylene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(k)fluoranthene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Chrysene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Dibenzo(a,h)anthracene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Fluoranthene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Fluorene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Indeno(1,2,3-cd)pyrene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Naphthalene	mg/L	–	–	0.000016 [0.000005] J	–	0.000047 [0.000005]	–	0.000022 [0.000005]	–
8270SIM	Phenanthrene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Pyrene	mg/L	–	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Total Aqueous Hydrocarbons (Sum of PAHs)	mg/L	0.015	–	0.0001001	–	0.0001314	–	0.0001061	–
AK101	Gasoline Range Organics (C6-C10)	mg/L	1.3	–	ND [0.025]	–	ND [0.025]	–	ND [0.025]	–
AK102	Diesel Range Organics (C10-C25)	mg/L	1.5	–	0.058 [0.02] J	–	0.07 [0.02] J	–	0.063 [0.02] J	–
AK103	Residual Range Organics (C25-C36)	mg/L	1.1	–	0.12 [0.05] J, B	–	0.21 [0.05] J, B	–	0.12 [0.05] J, B	–
SW6020A	Arsenic	mg/L	0.01	0.0003 [0.00013] J	0.00031 [0.00013] J	0.00039 [0.00013] J	0.00059 [0.00013]	0.00034 [0.00013] J	0.00046 [0.00013] J	ND [0.00013]
SW6020A	Barium	mg/L	2	0.00962 [0.00003]	0.00927 [0.00003]	0.0079 [0.00003]	0.0088 [0.00003]	0.00378 [0.00003]	0.0045 [0.00003]	0.0065 [0.00003]
SW6020A	Cadmium	mg/L	0.005	0.000013 [0.00001] J	0.00002 [0.00001] J	ND [0.00001]	0.000005 [0.00001] J	0.000015 [0.00001] J	0.000012 [0.00001] J	0.000012 [0.00001] J, QN
SW6020A	Chromium	mg/L	0.1	0.00032 [0.00005]	0.00039 [0.00005]	0.00033 [0.00005]	0.00037 [0.00005]	0.0004 [0.00005]	0.00049 [0.00005]	0.00019 [0.00005] J
SW6020A	Lead	mg/L	–	0.000949 [0.00001]	0.00149 [0.00001]	0.000037 [0.00001]	0.000175 [0.00001]	0.000321 [0.00001]	0.00089 [0.00001]	0.000013 [0.00001] J, QN
SW6020A	Nickel	mg/L	–	0.00121 [0.0001]	0.00095 [0.0001]	0.00069 [0.0001]	0.00062 [0.0001]	0.00075 [0.0001]	0.00082 [0.0001]	–
SW6020A	Selenium	mg/L	0.05	ND [0.0005]	ND [0.0005]	ND [0.0005]	ND [0.0005]	ND [0.0005]	ND [0.0005]	ND [0.0005]
SW6020A	Silver	mg/L	0.1	0.000005 [0.00001] J	0.000007 [0.00001] J	ND [0.00001]	ND [0.00001]	ND [0.00001]	0.000016 [0.00001] J	ND [0.00001]
SW6020A	Zinc	mg/L	–	0.0125 [0.00025]	0.01148 [0.00025]	0.00328 [0.00025]	0.00376 [0.00025]	0.00649 [0.00025]	0.0062 [0.00025]	0.00183 [0.00025]
SW7470A	Mercury	mg/L	0.002	ND [0.00005]	ND [0.00005]	ND [0.00005]	ND [0.00005]	ND [0.00005]	ND [0.00005]	ND [0.00005]
SW8082A	PCB-1016 (Aroclor 1016)	mg/L	0.0005	–	ND [0.000002]	–	ND [0.000002]	–	ND [0.0000021]	–
SW8082A	PCB-1221 (Aroclor 1221)	mg/L	0.0005	–	ND [0.000008]	–	ND [0.000008]	–	ND [0.000008]	–
SW8082A	PCB-1232 (Aroclor 1232)	mg/L	0.0005	–	ND [0.000002]	–	ND [0.000002]	–	ND [0.0000022]	–

**2013 Northeast Cape  
Surface Water Analytical Data Table**

			Location ID	7LF-WS01	7LF-WS01	7LF-WS02	7LF-WS02	7LF-WS03	7LF-WS03	9LF-WS01
			Sample ID	13-7LF-WS01-0	13-7LF-WS01-0	13-7LF-WS02-0	13-7LF-WS02-0	13-7LF-WS03-0	13-7LF-WS03-0	13-9LF-WS01-0
			Lab Sample ID	130964108F	K130964108	130964109F	K130964109	130964101F	K130964101	130964102F
			SDG	K1309641	K1309641	K1309641	K1309641	K1309641	K1309641	K1309641
			Sample Date	9/12/2013	9/12/2013	9/12/2013	9/12/2013	9/12/2013	9/12/2013	9/12/2013
			Matrix	WS	WS	WS	WS	WS	WS	WS
			Laboratory	CASK	CASK	CASK	CASK	CASK	CASK	CASK
Method	Analyte	Units	Project Action Limit <sup>1</sup>							
SW8082A	PCB-1242 (Aroclor 1242)	mg/L	0.0005	–	ND [0.000002]	–	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1248 (Aroclor 1248)	mg/L	0.0005	–	ND [0.000002]	–	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1254 (Aroclor 1254)	mg/L	0.0005	–	0.0000013 [0.000002] J	–	ND [0.000002]	–	0.0000017 [0.000002] J	–
SW8082A	PCB-1260 (Aroclor 1260)	mg/L	0.0005	–	0.0000023 [0.000002] J	–	ND [0.000002]	–	0.0000018 [0.000002] J	–
SW8082A	PCB-1262 (Aroclor 1262)	mg/L	0.0005	–	ND [0.000002]	–	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1268 (Aroclor 1268)	mg/L	0.0005	–	ND [0.000002]	–	ND [0.000002]	–	ND [0.000002]	–
SW8260C	Benzene	mg/L	0.005	–	ND [0.0001]	–	ND [0.0001]	–	ND [0.0001]	–
SW8260C	Ethylbenzene	mg/L	0.7	–	ND [0.0001]	–	ND [0.0001]	–	ND [0.0001]	–
SW8260C	o-Xylene	mg/L	10	–	ND [0.0002]	–	ND [0.0002]	–	ND [0.0002]	–
SW8260C	Toluene	mg/L	1	–	0.00032 [0.0001] J	–	0.00023 [0.0001] J	–	0.0002 [0.0001] J	–
SW8260C	Xylene, Isomers m & p	mg/L	10	–	ND [0.0002]	–	ND [0.0002]	–	ND [0.0002]	–

<sup>1</sup> Project action limit from 2013 QAPP (USACE 2013) and 18 AAC 75, Table C Groundwater Cleanup Levels (ADEC 2012)

– = No criteria/ Not analyzed

ND [LOD] = The analyte result is less than the limit of detection [value in brackets].

mg/L = milligram per liter

J = The analyte result is considered an estimated value because the reported result is below the limit of quantitation but above the detection limit (formerly the method detection limit).

B = Analyte result is considered a high biased estimated value due to contamination present in the method blank. Results less than 10 times the reported method blank concentration will be B flagged to indicate bias.

QN = Analyte result is considered estimated value biased uncertain due to due to a laboratory quality control failure.

ML = Analyte result is considered an estimated value biased low due to matrix effects.

SDG = sample delivery group

CASK = ALS Laboratories formerly known as Columbia Analytical Services of Kelso, WA

**2013 Northeast Cape  
Surface Water Analytical Data Table**

			Location ID Sample ID Lab Sample ID SDG Sample Date Matrix Laboratory	9LF-WS01 13-9LF-WS01-0 K130964102 K1309641 9/12/2013 WS CASK	9LF-WS02 13-9LF-WS02-0 130964103F K1309641 9/12/2013 WS CASK	9LF-WS02 13-9LF-WS02-0 K130964103 K1309641 9/12/2013 WS CASK	9LF-WS03 13-9LF-WS03-0 130964104F K1309641 9/12/2013 WS CASK	9LF-WS03 13-9LF-WS03-0 K130964104 K1309641 9/12/2013 WS CASK	9LF-WS04 13-9LF-WS04-0 130964105F K1309641 9/12/2013 WS CASK
Method	Analyte	Units	Project Action Limit <sup>1</sup>						
8270SIM	1-Methylnaphthalene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	2-Methylnaphthalene	mg/L	–	0.0000026 [0.000005] J, QN	–	ND [0.000005] QN	–	ND [0.000005]	–
8270SIM	Acenaphthene	mg/L	–	0.0000053 [0.000005] J	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Acenaphthylene	mg/L	–	0.0000059 [0.000005] J	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Anthracene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(a)anthracene	mg/L	–	0.0000038 [0.000005] J	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(a)pyrene	mg/L	0.0002	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(b)fluoranthene	mg/L	–	0.0000026 [0.000005] J, QN	–	ND [0.000005] QN	–	ND [0.000005]	–
8270SIM	Benzo(g,h,i)perylene	mg/L	–	0.0000059 [0.000005] J	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(k)fluoranthene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Chrysene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Dibenzo(a,h)anthracene	mg/L	–	0.0000027 [0.000005] J, QN	–	ND [0.000005] QN	–	ND [0.000005]	–
8270SIM	Fluoranthene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Fluorene	mg/L	–	0.0000087 [0.000005] J, QN	–	ND [0.000005] QN	–	ND [0.000005]	–
8270SIM	Indeno(1,2,3-cd)pyrene	mg/L	–	0.0000052 [0.000005] J	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Naphthalene	mg/L	–	0.000031 [0.000005] QN	–	0.000094 [0.000005] QN	–	0.000027 [0.000005]	–
8270SIM	Phenanthrene	mg/L	–	0.0000087 [0.000005] J, QN	–	ND [0.000005] QN	–	ND [0.000005]	–
8270SIM	Pyrene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Total Aqueous Hydrocarbons (Sum of PAHs)	mg/L	0.015	0.0001174	–	0.000179	–	0.000112	–
AK101	Gasoline Range Organics (C6-C10)	mg/L	1.3	ND [0.025]	–	ND [0.025]	–	ND [0.025]	–
AK102	Diesel Range Organics (C10-C25)	mg/L	1.5	0.016 [0.02] J, ML	–	0.014 [0.02] J	–	0.014 [0.02] J, QN	–
AK103	Residual Range Organics (C25-C36)	mg/L	1.1	0.036 [0.05] J, B, QN	–	0.024 [0.05] J, B, QN	–	0.03 [0.05] J, QN	–
SW6020A	Arsenic	mg/L	0.01	0.00011 [0.00013] J	0.0001 [0.00013] J	0.00009 [0.00013] J	0.00011 [0.00013] J	0.00009 [0.00013] J	0.00018 [0.00013] J
SW6020A	Barium	mg/L	2	0.00662 [0.00003]	0.00645 [0.00003]	0.00651 [0.00003]	0.00652 [0.00003]	0.0066 [0.00003]	0.0132 [0.00003]
SW6020A	Cadmium	mg/L	0.005	0.000005 [0.00001] J, QN	0.000004 [0.00001] QN	0.000001 [0.00001] J, QN	0.000014 [0.00001] J	0.000009 [0.00001] J	0.000101 [0.00001]
SW6020A	Chromium	mg/L	0.1	0.00015 [0.00005] J	0.00017 [0.00005] J	0.00019 [0.00005] J	0.00013 [0.00005] J	0.00015 [0.00005] J	0.0002 [0.00005]
SW6020A	Lead	mg/L	–	0.000031 [0.00001]	0.000051 [0.00001] QN	0.000027 [0.00001] J	0.000031 [0.00001]	0.000026 [0.00001] J	0.000027 [0.00001] J
SW6020A	Nickel	mg/L	–	–	–	–	–	–	–
SW6020A	Selenium	mg/L	0.05	ND [0.0005]	ND [0.0005]	ND [0.0005]	ND [0.0005]	ND [0.0005]	ND [0.0005]
SW6020A	Silver	mg/L	0.1	0.000009 [0.00001] J	0.00001 [0.00001] J	ND [0.00001]	ND [0.00001]	ND [0.00001]	ND [0.00001]
SW6020A	Zinc	mg/L	–	0.00178 [0.00025] QN	0.00219 [0.00025]	0.00131 [0.00025] QN	0.00157 [0.00025]	0.0013 [0.00025]	0.02157 [0.00025]
SW7470A	Mercury	mg/L	0.002	ND [0.00005]	ND [0.00005]	ND [0.00005]	ND [0.00005]	ND [0.00005]	ND [0.00005]
SW8082A	PCB-1016 (Aroclor 1016)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1221 (Aroclor 1221)	mg/L	0.0005	ND [0.000008]	–	ND [0.000008]	–	ND [0.000008]	–
SW8082A	PCB-1232 (Aroclor 1232)	mg/L	0.0005	ND [0.0000023]	–	ND [0.0000021]	–	ND [0.000002]	–

**2013 Northeast Cape  
Surface Water Analytical Data Table**

			Location ID Sample ID Lab Sample ID SDG Sample Date Matrix Laboratory	9LF-WS01 13-9LF-WS01-0 K130964102 K1309641 9/12/2013 WS CASK	9LF-WS02 13-9LF-WS02-0 130964103F K1309641 9/12/2013 WS CASK	9LF-WS02 13-9LF-WS02-0 K130964103 K1309641 9/12/2013 WS CASK	9LF-WS03 13-9LF-WS03-0 130964104F K1309641 9/12/2013 WS CASK	9LF-WS03 13-9LF-WS03-0 K130964104 K1309641 9/12/2013 WS CASK	9LF-WS04 13-9LF-WS04-0 130964105F K1309641 9/12/2013 WS CASK
Method	Analyte	Units	Project Action Limit <sup>1</sup>						
SW8082A	PCB-1242 (Aroclor 1242)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1248 (Aroclor 1248)	mg/L	0.0005	ND [0.0000022]	–	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1254 (Aroclor 1254)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1260 (Aroclor 1260)	mg/L	0.0005	0.0000015 [0.000002] J	–	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1262 (Aroclor 1262)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1268 (Aroclor 1268)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–	ND [0.000002]	–
SW8260C	Benzene	mg/L	0.005	ND [0.0001]	–	ND [0.0001]	–	ND [0.0001]	–
SW8260C	Ethylbenzene	mg/L	0.7	ND [0.0001]	–	ND [0.0001]	–	ND [0.0001]	–
SW8260C	o-Xylene	mg/L	10	ND [0.0002]	–	ND [0.0002]	–	ND [0.0002]	–
SW8260C	Toluene	mg/L	1	ND [0.0001]	–	0.00008 [0.0001] J	–	0.00007 [0.0001] J	–
SW8260C	Xylene, Isomers m & p	mg/L	10	ND [0.0002]	–	ND [0.0002]	–	ND [0.0002]	–

<sup>1</sup> Project action limit from 2013 QAPP (USACE 2013) and 18 AAC 75, Table C Groundwater Cleanup Levels (AD

– = No criteria/ Not analyzed

ND [LOD] = The analyte result is less than the limit of detection [value in brackets].

mg/L = milligram per liter

J = The analyte result is considered an estimated value because the reported result is below the limit of quantitat

B = Analyte result is considered a high biased estimated value due to contamination present in the method blank

QN = Analyte result is considered estimated value biased uncertain due to due to a laboratory quality control fail

ML = Analyte result is considered an estimated value biased low due to matrix effects.

SDG = sample delivery group

CASK = ALS Laboratories formerly known as Columbia Analytical Services of Kelso, WA

**2013 Northeast Cape  
Surface Water Analytical Data Table**

			Location ID Sample ID Lab Sample ID SDG Sample Date Matrix Laboratory	9LF-WS04 13-9LF-WS04-0 K130964105 K1309641 9/12/2013 WS CASK	KMS-WS01 13-KMS-WS01-0 130964107F K1309641 9/12/2013 WS CASK	KMS-WS01 13-KMS-WS01-0 K130964107 K1309641 9/12/2013 WS CASK	QCTB 13-TB01 K130964110 K1309641 9/12/2013 WS CASK
Method	Analyte	Units	Project Action Limit <sup>1</sup>				
8270SIM	1-Methylnaphthalene	mg/L	–	0.0000048 [0.000005] J	–	ND [0.000005]	–
8270SIM	2-Methylnaphthalene	mg/L	–	0.0000026 [0.000005] J	–	ND [0.000005]	–
8270SIM	Acenaphthene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Acenaphthylene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Anthracene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(a)anthracene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(a)pyrene	mg/L	0.0002	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(b)fluoranthene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(g,h,i)perylene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Benzo(k)fluoranthene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Chrysene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Dibenzo(a,h)anthracene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Fluoranthene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Fluorene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Indeno(1,2,3-cd)pyrene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Naphthalene	mg/L	–	0.000058 [0.000005]	–	0.00002 [0.000005]	–
8270SIM	Phenanthrene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Pyrene	mg/L	–	ND [0.000005]	–	ND [0.000005]	–
8270SIM	Total Aqueous Hydrocarbons (Sum of PAHs)	mg/L	0.015	0.0001404	–	0.000105	–
AK101	Gasoline Range Organics (C6-C10)	mg/L	1.3	ND [0.025]	–	ND [0.025]	ND [0.025]
AK102	Diesel Range Organics (C10-C25)	mg/L	1.5	0.031 [0.02] J	–	0.015 [0.02] J	–
AK103	Residual Range Organics (C25-C36)	mg/L	1.1	0.057 [0.05] J, B	–	0.027 [0.05] J, B	–
SW6020A	Arsenic	mg/L	0.01	0.00032 [0.00013] J	ND [0.00013]	0.00008 [0.00013] J	–
SW6020A	Barium	mg/L	2	0.0127 [0.00003]	0.0041 [0.00003]	0.0042 [0.00003]	–
SW6020A	Cadmium	mg/L	0.005	0.000042 [0.00001]	0.000012 [0.00001] J	0.000006 [0.00001] J	–
SW6020A	Chromium	mg/L	0.1	0.00022 [0.00005]	0.00015 [0.00005] J	0.00016 [0.00005] J	–
SW6020A	Lead	mg/L	–	0.000211 [0.00001]	0.000026 [0.00001] J	0.000101 [0.00001]	–
SW6020A	Nickel	mg/L	–	–	–	–	–
SW6020A	Selenium	mg/L	0.05	ND [0.0005]	ND [0.0005]	ND [0.0005]	–
SW6020A	Silver	mg/L	0.1	0.000008 [0.00001] J	ND [0.00001]	ND [0.00001]	–
SW6020A	Zinc	mg/L	–	0.01967 [0.00025]	0.00095 [0.00025]	0.00105 [0.00025]	–
SW7470A	Mercury	mg/L	0.002	ND [0.00005]	ND [0.00005]	ND [0.00005]	–
SW8082A	PCB-1016 (Aroclor 1016)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1221 (Aroclor 1221)	mg/L	0.0005	ND [0.000008]	–	ND [0.000008]	–
SW8082A	PCB-1232 (Aroclor 1232)	mg/L	0.0005	ND [0.0000024]	–	ND [0.000002]	–

**2013 Northeast Cape  
Surface Water Analytical Data Table**

			Location ID	9LF-WS04	KMS-WS01	KMS-WS01	QCTB
			Sample ID	13-9LF-WS04-0	13-KMS-WS01-0	13-KMS-WS01-0	13-TB01
			Lab Sample ID	K130964105	130964107F	K130964107	K130964110
			SDG	K1309641	K1309641	K1309641	K1309641
			Sample Date	9/12/2013	9/12/2013	9/12/2013	9/12/2013
			Matrix	WS	WS	WS	WS
			Laboratory	CASK	CASK	CASK	CASK
Method	Analyte	Units	Project Action Limit <sup>1</sup>				
SW8082A	PCB-1242 (Aroclor 1242)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1248 (Aroclor 1248)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1254 (Aroclor 1254)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1260 (Aroclor 1260)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1262 (Aroclor 1262)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–
SW8082A	PCB-1268 (Aroclor 1268)	mg/L	0.0005	ND [0.000002]	–	ND [0.000002]	–
SW8260C	Benzene	mg/L	0.005	ND [0.0001]	–	ND [0.0001]	ND [0.0001]
SW8260C	Ethylbenzene	mg/L	0.7	ND [0.0001]	–	ND [0.0001]	ND [0.0001]
SW8260C	o-Xylene	mg/L	10	ND [0.0002]	–	ND [0.0002]	ND [0.0002]
SW8260C	Toluene	mg/L	1	0.00018 [0.0001] J	–	0.00017 [0.0001] J	ND [0.0001]
SW8260C	Xylene, Isomers m & p	mg/L	10	ND [0.0002]	–	ND [0.0002]	ND [0.0002]

<sup>1</sup> Project action limit from 2013 QAPP (USACE 2013) and 18 AAC 75, Table C Groundwater Cleanup Levels (AD

– = No criteria/ Not analyzed

ND [LOD] = The analyte result is less than the limit of detection [value in brackets].

mg/L = milligram per liter

J = The analyte result is considered an estimated value because the reported result is below the limit of quantitat

B = Analyte result is considered a high biased estimated value due to contamination present in the method blank

QN = Analyte result is considered estimated value biased uncertain due to due to a laboratory quality control fail.

ML = Analyte result is considered an estimated value biased low due to matrix effects.

SDG = sample delivery group

CASK = ALS Laboratories formerly known as Columbia Analytical Services of Kelso, WA

**ATTACHMENT B-2**

**Sample Results Below Project Data Quality Objectives (DQO)**



**Table B-2-1  
Sample Results Qualified B due to Method Blank Exceedance**

Sample ID	QC Batch	SDG	Lab Sample ID	Method	Analyte	Result (mg/L)	Qualifier
Method Blank	KWG1310602	QCK1309641	KWG13106025	AK103	Residual Range Organics (C25-C36)	0.02	
13-KMS-WS01-0	KWG1310602	K1309641	K130964107	AK103	Residual Range Organics (C25-C36)	0.027	J, B
13-9LF-WS02-0	KWG1310602	K1309641	K130964103	AK103	Residual Range Organics (C25-C36)	0.024	J, B
13-9LF-WS04-0	KWG1310602	K1309641	K130964105	AK103	Residual Range Organics (C25-C36)	0.057	J, B
13-9LF-WS01-0	KWG1310602	K1309641	K130964102	AK103	Residual Range Organics (C25-C36)	0.036	J, B
13-7LF-WS03-0	KWG1310602	K1309641	K130964101	AK103	Residual Range Organics (C25-C36)	0.12	J, B
13-7LF-WS02-0	KWG1310602	K1309641	K130964109	AK103	Residual Range Organics (C25-C36)	0.21	J, B
13-7LF-WS01-0	KWG1310602	K1309641	K130964108	AK103	Residual Range Organics (C25-C36)	0.12	J, B

**Table B-2-2**  
**Sample Results Qualified QN due to Missing Method Blank**

Sample ID	QC Batch	SDG	Lab Sample ID	Method	Analyte	Result (mg/L)	Qualifier
13-9LF-WS03-0	KWG1311316	K1309641	K130964104	AK102	Diesel Range Organics (C10-C25)	0.014	J, QN
13-9LF-WS03-0	KWG1311318	K1309641	K130964104	AK103	Residual Range Organics (C25-C36)	0.03	J, QN

**Table B-2-3  
Sample Results Qualified QL due to Matrix Spike Exceedance**

Sample ID	QC Batch	SDG	Lab Sample ID	Method	Analyte	Result (mg/L)	Percent Recovery	Qualifier
13-9LF-WS01-0	KWG1310603	K1309641	K130964102	AK102	Diesel Range Organics (C10-C25)	0.016	-	QL
Matrix Spike	KWG1310603	QCK1309641	KWG13106031	AK102	Diesel Range Organics (C10-C25)	1.13	74	
Matrix Spike Dup	KWG1310603	QCK1309641	KWG13106032	AK102	Diesel Range Organics (C10-C25)	1.12	72	

**Table B-2-4**  
**Sample Results Qualified QN due to Duplicate RPD Exceeding 30%**

Sample ID	Lab Sample ID	Dup Sample ID	Dup Lab Sample ID	Method	Analyte	Result (mg/L)	Duplicate Result (mg/L)	RPD (%)
13-9LF-WS01-0	130964102F	13-9LF-WS02-0	130964103F	SW6020A	Cadmium	0.000012	0.00004	108
13-9LF-WS01-0	130964102F	13-9LF-WS02-0	130964103F	SW6020A	Lead	0.000013	0.000051	119
13-9LF-WS01-0	K130964102	13-9LF-WS02-0	K130964103	8270SIM	2-Methylnaphthalene	0.0000026	0.000005	63
13-9LF-WS01-0	K130964102	13-9LF-WS02-0	K130964103	8270SIM	Benzo(b)fluoranthene	0.0000026	0.000005	63
13-9LF-WS01-0	K130964102	13-9LF-WS02-0	K130964103	SW6020A	Cadmium	0.000005	0.00001	67
13-9LF-WS01-0	K130964102	13-9LF-WS02-0	K130964103	8270SIM	Dibenzo(a,h)anthracene	0.0000027	0.000005	60
13-9LF-WS01-0	K130964102	13-9LF-WS02-0	K130964103	8270SIM	Fluorene	0.0000087	0.000005	54
13-9LF-WS01-0	K130964102	13-9LF-WS02-0	K130964103	8270SIM	Naphthalene	0.000031	0.000094	101
13-9LF-WS01-0	K130964102	13-9LF-WS02-0	K130964103	8270SIM	Phenanthrene	0.0000087	0.000005	54
13-9LF-WS01-0	K130964102	13-9LF-WS02-0	K130964103	AK103	Residual Range Organics (C25-C36)	0.036	0.024	40
13-9LF-WS01-0	K130964102	13-9LF-WS02-0	K130964103	SW6020A	Zinc	0.00178	0.00131	30

**ATTACHMENT B-3**  
**ADEC Laboratory Data Review Checklists**

**Laboratory Data Review Checklist**

**Completed by:**

**Title:**  **Date:**

**CS Report Name:**  **Report Date:**

**Consultant Firm:**

**Laboratory Name:**  **Laboratory Report Number:**

**ADEC File Number:**  **ADEC RecKey Number:**

**1. Laboratory**

a. Did an ADEC CS-approved laboratory receive and perform all of the submitted sample analyses?  
 Yes    No    NA (Please explain.)      Comments:

b. If the samples were transferred to another “network” laboratory or sub-contracted to an alternate laboratory, was the laboratory performing the analyses ADEC CS approved?  
 Yes    No    NA (Please explain.)      Comments:

**2. Chain of Custody (CoC)**

a. CoC information completed, signed, and dated (including released/received by)?  
 Yes    No    NA (Please explain.)      Comments:

b. Correct Analyses requested?  
 Yes    No    NA (Please explain.)      Comments:

**3. Laboratory Sample Receipt Documentation**

a. Sample/cooler temperature documented and within range at receipt ( $4^{\circ} \pm 2^{\circ} \text{C}$ )?  
 Yes    No    NA (Please explain.)      Comments:

Cooler Alpha - Temperature Blank 1.8°C, Cooler Temperature 4.2°C  
Cooler Mike - Temperature Blank 1.2°C, Cooler Temperature 0.8°C  
Cooler Kilo - Temperature Blank NA, Cooler Temperature 0.8°C  
Cooler Juliet - Temperature Blank 1.7°C, Cooler Temperature 2.7°C  
Cooler Echo - Temperature Blank 2.8°C, Cooler Temperature 4.6°C  
Cooler Romeo - Temperature Blank 3.2°C, Cooler Temperature 3.7°C  
Cooler Charlie - Temperature Blank 1.2°C, Cooler Temperature 4.6°C  
Cooler Hotel - Temperature Blank 2.4°C, Cooler Temperature 5.7°C

b. Sample preservation acceptable – acidified waters, Methanol preserved VOC soil (GRO, BTEX, Volatile Chlorinated Solvents, etc.)?

Yes  No  NA (Please explain.)

Comments:

c. Sample condition documented – broken, leaking (Methanol), zero headspace (VOC vials)?

Yes  No  NA (Please explain.)

Comments:

d. If there were any discrepancies, were they documented? For example, incorrect sample containers/preservation, sample temperature outside of acceptable range, insufficient or missing samples, etc.?

Yes  No  NA (Please explain.)

Comments:

There were no discrepancies according to the cooler receipt form besides the temperature.

e. Data quality or usability affected? (Please explain.)

Comments:

Data quality and usability was not affected by the low temperature since no samples were frozen upon receipt at the laboratory.

#### 4. Case Narrative

a. Present and understandable?

Yes  No  NA (Please explain.)

Comments:

b. Discrepancies, errors or QC failures identified by the lab?

Yes  No  NA (Please explain.)

Comments:

Manual integrations performed by the laboratory are presented in the case narrative for method AK101, AK102, AK103, SW8082 SW8260, and SW8270.  
QC failures are discussed in the relevant sections of this checklist.

c. Were all corrective actions documented?

Yes  No  NA (Please explain.)

Comments:

d. What is the effect on data quality/usability according to the case narrative?

Comments:

Effects on data quality and usability are discussed in the relevant sections of this checklist.

#### 5. Samples Results

a. Correct analyses performed/reported as requested on COC?

Yes  No  NA (Please explain.)

Comments:

b. All applicable holding times met?

Yes  No  NA (Please explain.)

Comments:

c. All soils reported on a dry weight basis?

Yes  No  NA (Please explain.)

Comments:

Water samples were submitted with this SDG.

d. Are the reported PQLs less than the Cleanup Level or the minimum required detection level for the project?

Yes  No  NA (Please explain.)

Comments:

e. Data quality or usability affected?

Comments:

Data quality and usability were not affected.

## 6. QC Samples

a. Method Blank

i. One method blank reported per matrix, analysis and 20 samples?

Yes  No  NA (Please explain.)

Comments:

AK102/103 - Sample 13-9LF-WS03-0 was reported without a method blank. During the initial preparation batch KWG1311318, the method blank extract was lost. The samples were re-extracted except for sample 13-9LF-WS03-0 had insufficient sample for re-extraction.

ii. All method blank results less than PQL?

Yes  No  NA (Please explain.)

Comments:

AK103 – Method blank (QC batch KWG1310602) had a detection for RRO above the DL at 0.02 mg/L.

iii. If above PQL, what samples are affected?

Yes  No  NA (Please explain.)

Comments:

Associated samples were 13-KMS-WS01-0, 13-9LF-WS02-0, 13-9LF-WS04-0, 13-9LF-WS01-0, 13-7LF-WS03-0, 13-7LF-WS02-0, and 13-7LF-WS01-0.

iv. Do the affected sample(s) have data flags and if so, are the data flags clearly defined?

Yes  No  NA (Please explain.)

Comments:

Associated samples were qualified B.  
Sample 13-9LF-WS03-0 was qualified QN for AK102/AK103.

v. Data quality or usability affected? (please explain)

Comments:

Data quality is minimally affected for sample results qualified B since they have a high bias and were less than the Project Action Limit.  
Sample 13-9LF-WS03-0 was qualified without a bias. The data quality is minimally affected; if there were to be a bias based on the method blank it would be high and the sample result is significantly less than ADEC Cleanup criteria.



b. Laboratory Control Sample/Duplicate (LCS/LCSD)

- i. Organics – One LCS/LCSD reported per matrix, analysis and 20 samples? (LCS/LCSD required per AK methods, LCS required per SW846)

Yes    No    NA (Please explain.)   Comments:

- ii. Metals/Inorganics – one LCS and one sample duplicate reported per matrix, analysis and 20 samples?

Yes    No    NA (Please explain.)   Comments:

- iii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits? And project specified DQOs, if applicable. (AK Petroleum methods: AK101 60%-120%, AK102 75%-125%, AK103 60%-120%; all other analyses see the laboratory QC pages)

Yes    No    NA (Please explain.)   Comments:

All LCS percent recoveries were within DoD QSM and AK series criteria.

AK102 – MS and MSD recovery for DRO was less than ADEC method criteria at 72% and 74%.  
SW8270 – MS recovery for Benzo(a)pyrene was greater than DoD QSM criteria at 113%.

- iv. Precision – All relative percent differences (RPD) reported and less than method or laboratory limits? And project specified DQOs, if applicable. RPD reported from LCS/LCSD, MS/MSD, and or sample/sample duplicate. (AK Petroleum methods 20%; all other analyses see the laboratory QC pages)

Yes    No    NA (Please explain.)   Comments:

- v. If %R or RPD is outside of acceptable limits, what samples are affected?

Comments:

AK102 – Parent sample 13-9LF-WS01-0 was affected

SW8270 – Parent sample 13-9LF-WS01-0 was not affected since the bias was high and the parent sample result was nondetect.

- vi. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?

Yes    No    NA (Please explain.)   Comments:

AK102 – Parent sample 13-9LF-WS01-0 was qualified ML

SW8270 – Parent sample 13-9LF-WS01-0 was not qualified since the bias was high and the parent sample result was nondetect.

- vii. Data quality or usability affected? (Use comment box to explain.)

Comments:

Data quality was minimally affected even though the bias was low; the AK102 sample result 13-9LF-WS01-0 was significantly below the Project Action Limit.

c. Surrogates – Organics Only

i. Are surrogate recoveries reported for organic analyses – field, QC and laboratory samples?

Yes  No  NA (Please explain.)      Comments:

ii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits? And project specified DQOs, if applicable. (AK Petroleum methods 50-150 %R; all other analyses see the laboratory report pages)

Yes  No  NA (Please explain.)      Comments:

iii. Do the sample results with failed surrogate recoveries have data flags? If so, are the data flags clearly defined?

Yes  No  NA (Please explain.)      Comments:

iv. Data quality or usability affected? (Use the comment box to explain.)

Comments:

Data quality and usability were not affected.

d. Trip blank – Volatile analyses only (GRO, BTEX, Volatile Chlorinated Solvents, etc.):

Water and Soil

i. One trip blank reported per matrix, analysis and for each cooler containing volatile samples? (If not, enter explanation below.)

Yes  No  NA (Please explain.)      Comments:

ii. Is the cooler used to transport the trip blank and VOA samples clearly indicated on the COC? (If not, a comment explaining why must be entered below)

Yes  No  NA (Please explain.)      Comments:

iii. All results less than PQL?

Yes  No  NA (Please explain.)      Comments:

iv. If above PQL, what samples are affected?

Comments:

NA

v. Data quality or usability affected? (Please explain.)

Comments:

Data quality and usability were not affected.

e. Field Duplicate

i. One field duplicate submitted per matrix, analysis and 10 project samples?

Yes  No  NA (Please explain.) Comments:

ii. Submitted blind to lab?

Yes  No  NA (Please explain.) Comments:

Primary 13-9LF-WS01-0 / Duplicate 13-9LF-WS02-0

iii. Precision – All relative percent differences (RPD) less than specified DQOs?  
(Recommended: 30% water, 50% soil)

$$\text{RPD (\%)} = \text{Absolute value of: } \frac{(R_1 - R_2)}{((R_1 + R_2)/2)} \times 100$$

Where  $R_1$  = Sample Concentration  
 $R_2$  = Field Duplicate Concentration

Yes  No  NA (Please explain.) Comments:

RPDs were greater than 30% for the following analytes and results were qualified QN:  
SW6020 Dissolved – cadmium, lead  
SW6020 – cadmium, zinc  
SW8270 - 2-Methylnaphthalene, Benzo(b)fluoranthene, Dibenzo(a,h)anthracene, Fluorene,  
Naphthalene, and Phenanthrene  
AK103 - Residual Range Organics (C25-C36)  
In cases where the result is nondetect, the LOD was used for calculation purposes.

iv. Data quality or usability affected? (Use the comment box to explain why or why not.)

Comments:

Data quality was minimally affected, all results qualified QN were less than the Project Action Limit. The largest value between the primary and duplicate value will be used.

f. Decontamination or Equipment Blank (If not used explain why).

Yes  No  NA (Please explain.) Comments:

Disposable sampling equipment was used.

i. All results less than PQL?

Yes  No  NA (Please explain.) Comments:

ii. If above PQL, what samples are affected?

Comments:

NA

---

iii. Data quality or usability affected? (Please explain.)

Comments:

Data quality and usability were not affected.

**7. Other Data Flags/Qualifiers (ACOE, AFCEE, Lab-Specific, etc.)**

a. Defined and appropriate?

Yes    No    NA (Please explain.)

Comments:

Qualifiers are defined in the Data Quality section of the report.

**ATTACHMENT B-4**  
**Laboratory Data**  
*(Available electronically)*

**APPENDIX C**

**Field Documentation**

Field Logbooks  
Groundwater Sampling Forms

INCH  
1  
2  
3  
4  
5  
6

**Outdoor writing products\*  
for Outdoor writing people**



This cover contains  
post-consumer  
recycled material

**Rite in the Rain**

A patented, environmentally responsible, all-weather writing paper that sheds water and enables you to write anywhere, in any weather.

Using a pencil or all-weather pen, *Rite in the Rain* ensures that your notes survive the rigors of the field, regardless of the conditions.

J. L. DARLING CORPORATION  
Tacoma, WA 98424-1017 USA  
www.RiteintheRain.com

Item No. 373

ISBN: 978-1-932149-87-6

Made in the USA  
US Pat No. 6,863,940



6 52281 37311 7

NE CAPE 5-YR REVIEW  
LOGBOOK #11 SITE NOTES

9/11/13 TO 9/16/13



*Rite in the Rain*

ALL-WEATHER  
**UNIVERSAL**

No 373

C. FELL

J. ORCZEWSKA

K. MAHER

HTRW-207-05F45902-H04-0001

05F45902

Did you remember ... ???

## Daily Logbook Checklist

- Project name / Site ID / Client
- Date
- Weather, site conditions, and other salient observations
- Level of PPE used
- Full names of onsite personnel and affiliations (including all visitors)
- Daily objectives
- Field measurements and calibrations
- Time and location of activity
- Field observations and comments
- Deviations from the Work Plan
- Site photographs
- Site sketches (with reference i.e. "N" arrow)
- Survey and location i.e. samples or debris (GPS coordinates when possible)
- For each sample record:
  - Date, time, sampler(s)
  - Sample ID
  - Media, container(s), preservatives
  - QC (dup/MS/MSD)
  - Analysis
  - MeOH lot #
  - Tare weight
- Sample shipments (when, what, destination)
- Waste tracking (when, how much, destination)
- Daily summary of activities (i.e. # of samples collected)



LOGBOOK #1 SITE NOTES

Rite in the Rain  
ALL-WEATHER WRITING PAPER



DCU

HTRW-J07-05F45902-H04-0001

Name JACOBS EUGEN ERWIN G

Address 4300 B STREET SUITE 600  
ANCHORAGE AK 99503

Phone 907 563 3322

Project NE CAPE 5-YR REVIEW  
05F45902

C. FELL ©

J. ORCZEWSKA

K. MAHER

Rite in the Rain - A patented, environmentally responsible, all-weather writing paper that sheds water and enables you to write anywhere, in any weather. Using a pencil or all-weather pen, Rite in the Rain ensures that your notes survive the rigors of the field, regardless of the conditions.

RiteintheRain.com



CONTENTS

PAGE	REFERENCE	DATE
1-3	DAY 1: SITE SETUP	9/11/13
4-15	DAY 2: SAMPLING ACTIVITIES	9/12/13
18-19	DAY 3: SITE 32 SITE WALK (LOWER TRAILWAY)	9/13/13
20-21	DAY 3: SITE 31 SITE WALK (WACS)	9/13/13
22-24	DAY 3: SITE 7 SITE WALK (CARGO BEACH ROAD LANDFILL)	9/13/13
24-26	DAY 3: SITE 9 SITE WALK (HOUSING & OPERATIONS LANDFILL)	9/13/13
28-30	DAY 4: SITE 1 SITE WALK (AIRFIELD)	9/14/13
31-32	DAY 4: SITE 3 SITE WALK (FUEL PUMP HOUSE)	9/14/13
32-34	DAY 4: SITE 6 SITE WALK (GRAVEL PAD)	9/14/13
35-37	DAY 4: SITE 29 SITE WALK (SUGARPOUGH RIVER)	9/14/13
37-38	DAY 4: SITE 8 SITE WALK (POL SPILL)	9/14/13
39-40	DAY 4: SITE 10 SITE WALK (BURIED DRUMS)	9/14/13
41-42	DAY 4: SITE 11 SITE WALK (FUEL TANKS)	9/14/13
44-46	DAY 5: SITE 28 SITE WALK (DRAINAGE BASIN)	9/15/13
46-48	DAY 5: SITE 21 SITE WALK (WASTEWATER TANK)	9/15/13
48-50	DAY 5: SITE 16 SITE WALK (PAINT & ROPE STORAGE)	9/15/13
50	DAY 5: SITE 13 SITE WALK (HEAT & POWER PLANT)	9/15/13
75 TOP 52	SITE 15 SITE WALK (FUEL PIPELINE)	9/15/13
	SITE 19 SITE WALK (AUTO MAINTENANCE)	9/15/13
	SITE 27 SITE WALK (DIESEL FUEL PUMP)	9/15/13
55	DAY 6: DEMOB & USACE SITE INTERVIEW	9/16/13
56-62	PHOTOLOG & WASTE TRACKING	9/11-9/16

NE CAPE, 5-YR REVIEW, USACE

9/11/13

~1240 LEFT HOME FOR NE CAPE ON BERING AIR

~1400 ARRIVED AT BRISTOL ENG. CAMP ON NE CAPE

SITE ORIENTATION W/ CHUCK CROLEY

PERSONNEL (LEVEL D PPE)

JACOBS	K. MAHER	P.M.
JACOBS	J. ORCZEWSKA	BIOLOGIST
JACOBS	C. FELL	GEOLOGIST
BRISTOL	C. CROLEY	SITE SUPER
USACE	J. CRANER	QAR

1430 GOT SITUATED IN LODGING AND PREPARED SOME OF THE FIELD GEAR

↳ GEL ICE IN FREEZER

↳ ONLY 12 COOLERS → SPACE ISSUE?

NOTE

PLAN TO SPEND REMAINDER OF DAY SCOUTING SITES AND FLAGGING SAMPLING LOCATIONS

WX: MOSTLY CLOUDY TO OVERCAST  
SOUTH WIND 5+10 mph temp mid 40s

9/11/13 5-YR REVIEW

USACE

1521 SITE DRIVE W/THE CAR (USACE)

↳ SITE 8 IS THE LOW LYING AREA ALONG  
THE RIGHT SIDE OF THE ROAD (CAMP)

↳ SITE 7 IS THE THICKLY VEGETATED HILL  
LEFT FROM SITE 8

LEFT FROM ROAD  
↳ SITE 6 IS WHERE INTERMODAL CONTAINERS  
ARE STAGED

↳ SITE 3 IS ON THE RIGHT JUST BEFORE BEACH

↳ SITE 4 IS ON THE LEFT JUST BEFORE BEACH

↳ SITE 5 IS ON THE BEACH

NOTE MARK BOUNDARIES OF SITES WHERE  
OBSERVED OR MAKE SKETCHES

1612 ↳ SITE 9 IS THE BARE AREA ON LEFT  
SIDE OF ROAD JUST BEFORE INTERMODAL CONTAINER  
STAGING AREA ON THE RIGHT

↳ SITE 10 IS THE NEWLY GRADED AREA JUST PAST  
CONTAINER STAGING AREA.

↳ SITE 11 IS THE NEWLY DISTURBED AREA JUST  
DOWNHILL OF THE <sup>CP</sup> 9/11/13 SITE 10

↳ SITE 28 IS THE LOW AREA BELOW SITE 10

↳ SITE 31 & 32 ARE UP THE ROAD TOWARD QUARRIES

↳ 32 IS FOUNDATION AT BASE OF HILL

PAGE 2

Scale: 1 square = \_\_\_\_\_

5-YR REVIEW

USACE

9/11/13

1711 ↳ SITE 16 IS ESSENTIALLY AT THE GAC STATION  
JUST BEFORE THE GAC STATION

\* DIRECTIONS ARE BASED ON COMING FROM CAMP

1742 END OF SITE WALK

1745 TO DINNER

1815

1820 GEAR ORGANIZATION &amp; COOLER PREP

Bottle Count

From WP

US 19

Coolers = 12

250 HNO<sub>3</sub> Polys = 33

1L HCL = 35

1L No pres = 124

40mL HCL VOA = 88

	From WP	US 19
3	35	Field fourfold
5	30	70
50	45	
	60	

Per cooler Sample Location

Ground water + SW

- 6 x 40mL VOA

- 2 x 1L HCL AMBER

- 3 x 1L No pres AMBER

- 2 x 250mL HNO<sub>3</sub> [Filtered  
unfiltered]

2005 END OF DAY

PAGE 3

Scale: 1 square = \_\_\_\_\_

Rite in the Rain

0655 HEALTH AND SAFETY MEETING (BRISTOL)

0715 DAILY TAILGATE (JACOBS)

↳ PERSONNEL (LEVEL D PPE)

JACOBS	K. MAHER	SITE LEAD
JACOBS	C. FELL	SSHO/TECH
JACOBS	J. ORCZEWSKA	TECH

WX: PARTLY TO MOSTLY CLOUDY  
35°F TO 40°F  
CALM TO LIGHT BREEZE

0752 DAILY OBJECTIVES:

- COMPLETE GW/SURFACE WATER SAMPLING
- SITE WALKS FOR SITE 7 & 9 (LANDFILL)



Christopher P. Fell  
9/12/13

0754 TURBIDIMETER (S/N 6192)  
↳ CALIBRATED ON 9/6/13 BY TTT ENVURO

0905 YSI (S/N 100449) CALIBRATION VERIFICATION

↳ CALIBRATED ON 9/6/13 BY TTT ENVURO

↳ BAROMETER CAL: 29.72 inHg

↳ CAL VERIFICATION

→ ORP: 240 mV exp. 12/17 = 256.8 mV OK

→ COND: 1413 <sup>25°C</sup> μm/cm / 1020 <sup>11°C</sup> μm/cm = 929 OK

→ pH 7.0: 6.95 OK

→ pH 10.01: 10.01 OK

→ pH 4.01: 3.95 OK

0940 LOADED SUPPLIES IN PICKED AND TRAVELLED TO SITE 9

0945 ARRIVED AT SITE 9 LANDFILL

↳ BEGAN SAMPLING PROCEDURE AT LOCATIONS 9LF-WS01 & 9LF-WS02

0950 ADVANCED DRIVE POINT

1000 \*SAMPLE: 13-9LF-WS01-0  
 PRIMARY MS/MSD  
 ↳ COLLECTED WITH DEDICATED DIPPER  
 ↳ 4 40ml VOLS (HCl) AK101/BTEX SW8260  
 unfiltered ↳ 1 250poly (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY  
 filtered ↳ 1 250poly (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY  
 CF/KM/JO ↳ 2 IL AMBER (HCl) AK102/AK103  
 ↳ 3 IL AMBER (none) SW8270 SIM/SW8082  
 ↳ SURFACE WATER  
 X3 FOR MS/MSD  
 — FILTERED METALS COLLECTED W/PERISTALTIC

1000 \*SAMPLE: 13-9LF-WS02-0  
 DUPLICATE  
 ↳ COLLECTED WITH DEDICATED DIPPER  
 ↳ 4 40ml VOLS (HCl) AK101/BTEX SW8260  
 unfiltered ↳ 1 250poly (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY  
 filtered ↳ 1 250poly (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY  
 CF/KM/JO ↳ 2 IL AMBER (HCl) AK102/AK103  
 ↳ 3 IL AMBER (none) SW8270 SIM/SW8082  
 ↳ SURFACE WATER  
 — FILTERED METALS COLLECTED W/PERISTALTIC

1135 FINISHED SAMPLING 9LF-WS01  
 9LF-WS02

\*SAMPLES MAINTAINED AT  $4 \pm 2$  °C AFTER  
 COLLECTION

1149 BEGAN SAMPLING PROCEDURE AT  
 LOCATION 9LF-SW03

1155 \*SAMPLE: 13-9LF-WS03-0  
 CF/KM/JO PRIMARY  
 ↳ COLLECTED WITH DEDICATED DIPPER  
 ↳ 4 40ml VOLS (HCl) AK101/SW8260  
 unfiltered ↳ 1 250poly (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY  
 filtered ↳ 1 250poly (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY  
 ↳ 2 IL AMBER (HCl) AK102/AK103  
 ↳ 3 IL AMBER (none) SW8270 SIM/SW8082  
 ↳ SURFACE WATER  
 ↳ FILTERED METALS COLLECTED W/PERISTALTIC


1211 FINISHED SAMPLING AT LOCATION  
 9LF-WS03

1212 SAMPLING LOCATIONS ARE  
 RECORDED ON APPENDIX A FIGURES  
 IN THE WORK PLAN (FIELD COPY)  
 AND ON PAGE 8

1215 LEFT FOR LUNCH

NE CAPE  
5 YEAR REVIEW

USAEE  
9/12/13



1305 HEADED BACK TO SITE

1310 ADVANCED DRIVE POINT AT  
SITE 7 LOAD FILL

↳ REFUSAL AT APPROX 4.6 INCHES BGS

↳ STEPPED OUT APPROX. 1 FT → REFUSAL AT 6 IN

↳ STEPPED OUT APPROX 10 FT NORTH → REFUSAL AT 6 IN

↳ STEPPED OUT APPROX 20 FT NORTH → REFUSAL AT 30 IN

1340 BEGAN SAMPLING AT 9LF-WG01

1348 BEGAN SAMPLING PROCEDURE AT  
LOCATION 9LF-WS04

Scale: 1 square = \_\_\_\_\_

PAGE 8

NE CAPE  
5 YEAR REVIEW

USAEE  
9/12/13

1350 \*SAMPLE: 13-9LF-WS04-0

PRIMARY

↳ COLLECTED W/ DEDICATED

DIPPER, FILTERED METALS

COLLECTED W/ PERISTALTIC

↳ 4 40ml VOAs (HCL) AK101/SW8260 (BTEX)

↳ 2 1L AMBER (HCL) AK102/AK103

FILTERED ↳ 1 250ml POLY (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY

UNFILTERED ↳ 1 250ml POLY (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY

↳ 3 1L AMBER (none) SW8270 SIM/SW8082

→ SURFACE WATER

1351 \*SAMPLE: 13-9LF-WS04-1

PRIMARY

13-9LF-WG01-2

↳ COLLECTED W/ PERISTALTIC PUMP

1416 ↳ 4 40ml VOAs (HCL) AK101/SW8260 (BTEX)

1550 FILTERED ↳ 1 250ml POLY (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY

↳ 250ml POLY (HNO<sub>3</sub>) (P) 9/12

*Christopher D Fell*  
9/12/13

Scale: 1 square = \_\_\_\_\_

PAGE 9

*Rite in the Rain*




NE CAPE  
5 YEAR REVIEW

USACE  
9/12/13

- 1437 GROUNDWATER GRAB SAMPLING AT  
LOCATION 9LF-WG01
- WATER EXTREMELY TURBID W/  
SILT/FINE SAND & ORGANICS.
  - SCREEN CONTINUALLY PLUGS WITH  
FINE ORGANICS & SEDIMENT
  - PRODUCTION RATE MUCH LOWER  
THAN 250ml/min
  - 4 40ml VOLS IN ONE HOUR

1450 FINISHED SAMPLING 9LF-WS04

504 ARRIVED AT KANGUKSHAM MOUNTAIN  
SPRING SAMPLING LOCATION (KMS)



Scale: 1 square = \_\_\_\_\_

PAGE 10

NE CAPE  
5 YEAR REVIEW

USACE  
9/12/13

1516 STARTED SAMPLING PROCEDURE  
AT THE KANGUKSHAM MOUNTAIN  
SPRING

- 1521 \*SAMPLE: 13-KMS-WS01-0
- PRIMARY  
CF/JO
- ↳ COLLECTED WITH DEDICATED DIPPER,  
FILTERED W/ 0.45µm METALS COLLECTED  
WITH PERISTALTIC PUMP
  - ↳ 4 40ml VOLS (HCl) AK101 (SWB260/DTX)
  - ↳ 1 250ml POLY (HNO<sub>3</sub>) SW602 RCRA METALS SW 7471 MERCURY
  - ↳ 1 250ml POLY (HNO<sub>3</sub>) SW602 RCRA METALS SW 7471 MERCURY
  - ↳ 2 1L AMBER (HCl) AK102/AK103
  - ↳ 3 1L AMBER (none) SWB2705.1M/SWB282
- SURFACE WATER

1539 FINISHED SAMPLING AT  
KANGUKSHAM MOUNTAIN SPRING

1550 FINISHED SAMPLING AT  
~~9LF-WS01~~ (CF) 9/12  
9LF-WG01-2 DUE TO EXTREMELY  
LOW WATER PRODUCTION FROM THE  
WELL POINT

Scale: 1 square = \_\_\_\_\_

PAGE 11 *Rate in the Rain*

NE CAPE  
5 YEAR REVIEW

USACE  
9/12/13

1600 ARRIVED AT SITE 7 LANDFILL  
↳ LAND OUT LOCATIONS

1625 STARTED SAMPLING PROCEDURE AT  
7LF-WS01

1630 \*SAMPLE! 13-7LF-WS01-0

PRIMARY  
CF/JO/KM  
↳ COLLECTED w/ DEDICATED DIPPER,  
FILTERED METALS COLLECTED w/  
PERISTALTIC PUMP

↳ 4 40ml VOAs (HCl) AK101/SW8260 (BTEX)

FILTERED ↳ 1 250ml POLY (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY

UNFILTERED ↳ 1 250ml POLY (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY

↳ 2 1L AMBER (HCl) AK102/AK103

↳ 3 1L AMBER (none) SW8270 SIM/SW8082  
- SURFACE WATER

1650 FINISHED SAMPLING AT 7LFWS01

1640 STARTED SAMPLING PROCEDURE AT  
7LF-WS02

NE CAPE  
5 YEAR REVIEW

USACE  
9/12/13

1644 \*SAMPLE! 13-7LF-WS02-0

PRIMARY  
JO/CF/KM  
↳ COLLECTED w/ DEDICATED DIPPER,  
FILTERED METALS COLLECTED WITH  
PERISTALTIC PUMP

↳ 4 40ml VOAs (HCl) AK101/SW8260 (BTEX)

FILTERED ↳ 1 250ml POLY (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY

UNFILTERED ↳ 1 250ml POLY (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY

↳ 2 1L AMBER (HCl) AK102/AK103

↳ 3 1L AMBER (none) SW8270 SIM/SW8082

→ SURFACE WATER

1653 STARTED SAMPLING PROCEDURE AT  
7LF-WS03-0

~~DATA~~  
CP 9/12

1654 \*SAMPLE! 13-7LF-WS03-0

PRIMARY  
JO/CF/KM  
↳ COLLECTED w/ DEDICATED DIPPER, FILTERED METALS  
WITH PERISTALTIC PUMP

↳ 4 40ml VOAs (HCl) AK101/SW8260 (BTEX)

FILTERED ↳ 1 250ml POLY (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY

UNFILTERED ↳ 1 250ml POLY (HNO<sub>3</sub>) SW6020 RCRA METALS SW7471 MERCURY

↳ 2 1L AMBER (HCl) AK102/AK103

↳ 3 1L AMBER (none) SW8270 SIM/SW8082

→ SURFACE WATER

NE CAPE  
5 YEAR REVIEW


USACE  
9/12/13

1720 FINISHED SAMPLING AT 7LF-WS02

1738 FINISHED SAMPLING AT 7LF-WS03

~~LEFT SITE FOR THE DAY~~ (CP) 9/12

1736 7LF GW SAMPLING LOCATION



Scale: 1 square =

PAGE 14

NE CAPE  
5 YEAR REVIEW

USACE  
9/12/13

1749 LEFT SITE FOR THE DAY

↳ TRANSFERRED SAMPLES BACK TO CAMP

↳ SAMPLING WASTE/IDW TRANSFERRED

BACK TO CAMP IN 5 GALLON

BUCKETS (PAGE 62)



Scale: 1 square =

PAGE 15

Rite in the Rain



NE CAPE  
5 YEAR REVIEW

USACE  
9/13/13

0700 JACOBS TAILGATE

PERSONNEL

JACOBS K. MAHER SHELVED

JACOBS C. FULL SSNO/TECH

JACOBS J. ONCZEWSKA TECH

→ K. MAHER DEPARTED AT APPROX 1140

WX: WINDY 10-20mph gusts  
30°F TO 40°F  
OVERCAST

0720 DAILY OBJECTIVES

- COOLER PACKING
- RENTAL DEMO
- 5YR REVIEW TRAINING
- BEGIN 5YR REVIEWS

0800 BRISTOL TAILGATE

NE CAPE  
5 YEAR REVIEW

USACE  
9/13/13

0830 PREPARED CHAINS OF CUSTODY  
TO FOR 8 COOLERS WITH  
1140 SAMPLES COLLECTED ON  
9/12/13

COOLERS

- KILO

- JULIETT

- CHARLIE

- MIKE

- ALFA

- HOTEL

- ECHO

- ROMEO


1140 5YR REVIEW CHECKLIST  
TRAINING

1200 LUNCH

1230 BACK FROM LUNCH - GOING TO  
START SITE WALKS

→ K. MAHER WAITING IN CAMP FOR  
AIRPLANE TO HOME

1240 SITE WALK OF SITE 32 - LOWER TRAMWAY  
SEE CHECKLIST FOR FURTHER INFORMATION



1313 OBSERVED MINOR WOOD AND METAL DEBRIS ON SITE

1321 OBSERVED MINOR ASPHALTIC SHINGLE DEBRIS 1x2 FT TO 2x2 FT (APPROX) DIMENSIONS ON THE GROUND WEST OF THE OLD FOUNDATION

1325 OBSERVED APPARENT GROUND DISTURBANCE (RECENT) TO THE EAST OF THE OLD FOUNDATION, THIN VEGETATION IS GROWING ON THE EXTREMELY ROCKY SOIL

1327 NO GROUNDWATER MONITORING WELLS WERE OBSERVED

1330 COLUVERT UNDER ROAD AT THE SITE IS APPROX 5 TO 6 FT IN DIAMETER


1332 ONGOING REMEDIAL ACTIVITY IS MINING BORROW FOR BACK FILL ADJACENT TO THE SITE ON THE OPPOSITE SIDE OF KANGUKHSAM MOUNTAIN SPRING

1343 LEFT SITE 32: LOWER TRAMWAY

NE CAPE  
5 YEAR REVIEW

USACE  
9/13/13

1347 ARRIVED AT SITE 31: FORMER WHITE ALICE



Scale: 1 square =

PAGE 20

NE CAPE  
5 YEAR REVIEW

USACE  
9/13/13

1404 OBSERVED MINOR WOOD/METAL/WIRING DEBRIS NEAR ANTENNA FOUNDATION "C"

1405 OBSERVED A DRAIN COVER (RUSTED) ON THE SOUTH SIDE OF FOUNDATION "E" WITH AN UNFILLED VOID UNDERNEATH (APPROX 6 FT DEEP, 5 WIDE, 9 FT LENGTH). DRAIN IS APPROX 4 FT LONG & 6 INCHES WIDE.

SAFETY ISSUE

1415 AREA AROUND FOUNDATION "E" AND ANTENNA FOUNDATION "A" HAVE BEEN RECENTLY GRADED, COMPACTED, AND SEEDED. NEW VEGETATION IS JUST SPROUTING. AREA APPEARS TO BE GRADED TO PROMOTE POSITIVE DRAINAGE AND MITIGATE EROSION

1416 HOLES IN FOUNDATIONS HAVE BEEN FILLED WITH SOIL  
↳ NO STAINING OF CONCRETE OBSERVED

1420 AREA OF STUNTED VEGETATION ~~AT~~ ⑧ UPHILL FROM THE WAES SITE (APPROX 20 FT BY 30 FT RECTANGLE)

1424 NO GROUNDWATER MONITORING WELLS OBSERVED


1440 LEFT SITE: 31: WHITE ALICE  
↳ CHECKLIST ON SEPARATE FORM

Scale: 1 square =

PAGE 21

Return to the Rain

1509 ARRIVED AT SITE 7: CARGO BEACH ROAD LANDFILL



x-x LANDFILL BOUNDARY (APPROX)  
/// STEEP SLOPE  
① → PICTURE LOCATION & DIRECTION

1517 THE LANDFILL COVER APPEARS TO CONSIST OF FINE AND COARSE GRAVEL AT THE SURFACE WITH PATCHY GRASS COVER

1523 CARGO BEACH ROAD CROSSES THE LANDFILL CAP. NO SETTLEMENT OBSERVED GRADING/DRAINAGE APPEARS ADEQUATE

1528 WOOD DEBRIS AT PICTURE ① LOCATION (MINOR) WITH OTHER WOOD AND METAL DEBRIS NEARBY

1546 OBSERVED 2 RUSTED OUT DRUMS NEAR THE EDGE OF THE POND NEAR THE NE CORNER OF THE LANDFILL (55 gal?)

1547 OBSERVED METAL/WOOD/PLASTIC DEBRIS IN THE NORTHEAST POND

1552 OBSERVED METAL DEBRIS IN THE POND AT THE NW CORNER OF THE LANDFILL WHERE PICTURE ⑤ WAS TAKEN

1553 LANDFILL CAP DOES NOT HAVE OBSERVED SIGNS OF SETTLEMENT/EROSION OR LANDFILL DEBRIS STICKING THROUGH THE CAP

1559 OBSERVED METAL DEBRIS IN THE POND TO THE WEST OF THE LANDFILL (METAL ROOFING?) → PICTURES 6 & 7

NE CAPE  
5 YEAR REVIEW

USACE  
9/13/13

1607 RUBBER HOSE STICKING THROUGH LANDFILL CAP  
ALONG WITH SOME METAL DEBRIS NEAR  
PICTURES 10 & 11

1615 OBSERVED AN ABANDONED MONITORING WELL NEAR  
THE SE CORNER OF THE LANDFILL - ABANDONED  
WITH HYDRATED BENTONITE

1616 OBSERVED ~~ANOTHER~~ METAL DEBRIS AND OTHER DEBRIS  
IN THE POND NEAR THE SE CORNER OF THE LANDFILL  
↳ OBSERVED A SUBMERGED OBJECT W/A ROUND  
OPENING (DRUM?)

1633 \* ITEMS OF INTEREST \*

- DEBRIS PROTRUDING THROUGH CAP ON S SIDE (MWR)
- SIGNIFICANT METAL & WOOD DEBRIS IN THE  
SURROUNDING PONDS (INCLUDING A FEW RUSTED  
OUT DRUMS)

1637 LEFT SITE 7 LANDFILL

↳ 5 YR REVIEW CHECKLIST ON SEPARATE FORM

1640 ARRIVED AT SITE 9: HOUSING &  
OPERATIONS LANDFILL

↳ 5 YR REVIEW CHECKLIST INCLUDED ON  
A SEPARATE FORM


Scale: 1 square =

PAGE 24

NE CAPE  
5 YEAR REVIEW

USACE  
9/13/13

SITE 9: HOUSING &  
OPERATIONS LANDFILL



① → PICTURE LOCATION & DIRECTION

○ POND BOUNDARY

- - - DIVERSION DITCH

Y < CULVERT

1642 DRAINAGE IN EXCELLENT CONDITION -  
NO VEGETATION IN DITCH.

Scale: 1 square =

PAGE 25

Rate in the Rain



NE CAPE  
5 YEAR REVIEW

USACE  
9/13/13

1649 LANDFILL CAP APPEARS TO BE IN GOOD  
CONDITION WITH THIN GRASSY VEGETATION.  
CAP IS COMPOSED OF COARSE MATERIAL  
(GRAVEL) THAT MAKES VEGETATIVE GROWTH  
DIFFICULT.


1651 EROSION & SETTLEMENT WERE NOT  
OBSERVED. GRADING APPEARS TO ALLOW DRAINAGE

1657 OBSERVED AN ABANDONED MONITORING WELL AT  
THE SW CORNER OF THE OLD LANDFILL CAP

↳ COULD NOT FIND THE OTHER 2 MONITORING  
WELLS SHOWN IN THE DECISION DOCUMENT

1734 LEFT SITE 9: HOUSING & OPERATIONS LANDFILL

END OF DAY

  
Christopher D. Fell  
9/13/13

NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

0800 BRISTOL TAILGATE

0830 JACOBS TAILGATE

PERSONNEL

JACOBS C. FELL SITE LEAD

JACOBS J. ORCZEWSKA SSHG/TECH

WX: CALM

30s TO 40s F

OVERCAST

0850 DAILY OBJECTIVES

- 5 YEAR REVIEW SITE WALKS

- PAPERWORK QC


- CONTINUE PREP FOR DEMOBE

0850 SITE HISTORY REVIEW  
TO

NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

0944 LEFT CAMP TO CONDUCT SITE WALK  
FOR SITE 1 AIRSTRIP



Scale: 1 square =

PAGE 28

NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

0955 OBSERVED 1 TO 6 INCH TENSION CRACKS IN THE  
SLOPE OF A SIDING OFF THE SIDE OF THE  
RUNWAY. THE NORTHEAST CORNER OF  
THE PAD HAS APPROXIMATELY 1 FT OF  
SETTLEMENT AT THE TOP OF THE  
SLOPE.

↳ SLOPE INSTABILITY IS APPROX 30-40 FT  
FROM THE EDGE OF THE RUNWAY AND  
WILL NOT AFFECT OPERATIONS ON THE  
RUNWAY

1000 RUNWAY SURFACE WAS OBSERVED TO BE IN  
GOOD CONDITION AND WAS FREE OF  
RUTTING, SETTLEMENT, OR EROSION DAMAGE

↳ SLOPES IMMEDIATELY ADJOINING THE  
RUNWAY SURFACE WERE <sup>6% TO 8% SLOPE</sup> FREE OF SIGNS  
OF SLOPE INSTABILITY, HOWEVER ARE  
SLOPED BETWEEN 1/2 TO 1 AND 3/4 TO 1  
WHICH MAY LEAD TO EROSION DAMAGE  
OVER TIME

↳ SMALL TENSION CRACKS ON 3/4 TO 1 SECTIONS

Scale: 1 square =

PAGE 29

Rate in the Rain

NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

1014 A FEW SHIPPING RACKS ARE STAGED ON THE END OF THE RUNWAY AT THE WINTER STORAGE AREA  
↳ NO SOIL STAINING OBSERVED AT STORAGE AREA

1033 MINOR WOOD DEBRIS NOTED ALONG THE EAST SIDE OF THE RUNWAY NEAR THE NORTH END

1038 A TRAIL HAS BEEN FORMED OFF THE NORTH END OF THE RUNWAY LEADING TO THE BEACH.

1044 LEFT SITE 1 AIRSTRIP  
↳ 5 YEAR REVIEW CHECKLIST ON A SEPARATE FORM <sup>9/14</sup>

\*ITEMS OF INTEREST\*


- MINOR SLOPE STABILITIES ISSUES ON THE RUNWAY EDGES.

*[Signature]*  
Christopher D. Fell  
9/14/13

NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

1055 ARRIVED AT SITE 3: FUEL PUMPHOUSE





NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

1112 OBSERVED A SALVAGED PIECE OF RUSTED OUT  
EQUIPMENT STAGED FOR REMOVAL

1113 EXCAVATION AREA NOTED IN THE ROAD APPEARS TO  
NOW BE A ROAD

1114 BIOGENIC SHEEN (BRITTLE) NOTED ON SOME WATER IN  
FROM THE ROAD

1116 FORMER PIPELINE WAS NOT OBSERVED (REMOVED?)  
FORMER PUMPHOUSE STRUCTURE HAS BEEN REMOVED.

1119 SHEEN NOTED ON PONDED WATER NEAR THE GRAVEL  
PAD. SHEEN WAS NOT BRITTLE AND FLOWED BACK  
TOGETHER AFTER BEING DISTURBED (LIGHT SHEEN)

1126 VEGETATION IS GROWING WELL ONSITE  
EXCEPT ON A NEW GRAVEL PAD


1132 LEFT SITE 3: FUEL PUMPHOUSE

1133 ARRIVED AT SITE 6: GRAVEL PAD  
↳ 5 YEAR REVIEW CHECKLIST ON A SEPARATE FORM

NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

SITE 6: GRAVEL PAD



NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

1140 OBSERVED AN ABANDONED MONITORING WELL ON THE SW SIDE OF THE SITE. (HYDRATED BENTONITE)

1143 A SECOND ABANDONED MONITORING WELL OBSERVED ON THE WEST CORNER OF THE PAD (HYDRATED BENTONITE)

1148 DID NOT OBSERVE STAINING ON THE NEWLY GRADED GRAVEL PAD THAT IS CURRENTLY BEING USED TO STORE SHIPPING CONTAINERS.

↳ PAD APPEARS TO HAVE BEEN RECENTLY SAMPLED  
↳ GRID SAMPLING  
↳ PAD GRADED TO PROMOTE DRAINAGE AND MITIGATE EROSION

1153 DID NOT OBSERVE DEBRIS OR A SHEEN W THE POND TO THE SOUTH OF THE SITE

1155 LEFT SITE 6: GRAVEL PAD

1206 LUNCH

1230 DONE WITH LUNCH

1230 TO VIEWED HISTORICAL PHOTOS WITH

1340 JEREMY CRANER (USACE)


Scale: 1 square =

PAGE 34

NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

1341 SITEWALK FOR SITE 29: SUQUITUGHNEQ RIVER  
↳ 5 YEAR REVIEW CHECKLIST ON A SEPERATE FORM.



Scale: 1 square =

PAGE 35

Rate in the Rain

NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13


- 1352 WALKED THE SUQITUGHNEQ RIVER FROM CAMP ROAD TO THE ESTUARY
- 1357 DID NOT OBSERVE ANY DEBRIS OR SHEEN <sup>(PETROGENIC)</sup>. LOOKS LIKE A RIVER
- 1402 CONSTRUCTION CAMP IS PUMPING WATER FROM THE SUQITUGHNEQ RIVER FOR GENERAL USE (SOUTH OF ROAD)
- 1411 WALKED THE SUQITUGHNEQ RIVER FROM CAMP ROAD TO THE END OF THE RUNWAY
- 1412 ~~AT 1414~~ <sup>OBSERVE</sup> DID NOT ~~OBSERVE~~ <sup>CELEIN</sup> ANY DEBRIS OR SHEEN (PETROGENIC).
- TRAVELLED UP RIVER
- 1426 WALKED THE SUQITUGHNEQ RIVER FROM CARGO BEACH ROAD TOWARDS THE AIRFIELD
- 1433 OBSERVED A DRUM IN A POND → VERY RUSTED, NO SHEEN OBSERVED.
- 1445 DID NOT SEE DEBRIS/SHEEN (PETROGENIC) TO SOUTH OF SITE 28 DRAINAGE

NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13


- 1450 WALKED THE SUQITUGHNEQ RIVER FROM CARGO BEACH ROAD UPSTREAM  
↳ WATER HOSE (4in) IN THE WATER AT THE CULVERT FOR CARGO BEACH ROAD. MAY BE IN USE AS A WATER SOURCE FOR CONSTRUCTION/REMEDIATION ACTIVITIES.
- 1500 DID NOT SEE DEBRIS/SHEEN (PETROGENIC) ALONG THE SUQITUGHNEQ RIVER
- 1512 LEFT SITE 29: SUQITUGHNEQ RIVER
- 1515 SITE WALK FOR SITE 8: POL SPILL  
↳ 5 YEAR CHECKLIST ON A SEPARATE FORM
- 1522 VEGETATION IS THICK AND HEALTHY  
NO ODOR OBSERVED  
NO SHEEN (PETROGENIC) OBSERVED  
NO DEBRIS OBSERVED
- 1533 LEFT SITE 8: POL SPILL

SITE 8: POL SPILL



1534 ARRIVED AT SITE 10: BURIED DRUMS  
↳ 5 YEAR REVIEW CHECKLIST ON A SEPARATE FORM

SITE 10: BURIED DRUMS



NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

1547 OBSERVED WOOD AND METAL DEBRIS (MINOR) AT THE  
NE CORNER OF THE SITE

1550 OBSERVED MONITORING WELL 10-1, WELL CASING  
HAS JACILED 1 FOOT ABOVE THE PROTECTIVE  
STEEL CASING, NO LOCKING CAP OR PROTECTIVE  
BOLLARDS.

1554 ~~EVIDENCE~~ 9/14 OBSERVED EVIDENCE OF RECENT  
SOIL BORINGS & SAMPLING ACTIVITY

1558 SITE IS CURRENTLY BEING USED AS A LAYDOWN  
AREA BY THE REMEDIAL CONTRACTOR (BRISTOL).  
SITE IS GRADED AND COMPACTED TO PROMOTE  
POSITIVE DRAINAGE AND MITIGATE EROSION

↳ NO VEGETATION PRESENT ON THE GRAVEL PAD.  
VEGETATION AROUND THE PAD APPEARS HEALTHY

1604 OBSERVED A DRUM BOTTOM AT BASE OF SLOPE

1608 2ND MONITORING WELL SHOWN ON THE FIGURE  
IN THE ROD WAS NOT FOUND.

↳ JEREMY CRAMER INDICATES IT WAS DECOMMISSIONED  
(USACE) ↳ OBSERVED THE ABANDONED WELL

1624 LEFT SITE 10; BURNED DRUMS


Scale: 1 square =

PAGE 40

NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

SITE 11: FUEL TANKS



Scale: 1 square =

PAGE 41

Rate in the Rain



NE CAPE  
5 YEAR REVIEW

USACE  
9/14/13

1625 ARRIVED AT SITE ~~1625~~ 9/14 11: FUEL TANKS  
FOR A SITE WALK

↳ 5 YEAR REVIEW CHECKLIST ON A SEPERATE FORM

1635 OBSERVED MONITORING WELL MW88-3.

↳ CASING HAS A LOCKING CAP - WITH NO LOCK

↳ FLUSH MOUNT MONUMENT DOES NOT CLOSE

AS THE WELL APPEARS TO HAVE FROST  
JACKED

1643 SITE HAS BEEN GRADED/COMPACTED/AND  
SEEDED TO PROMOTE POSITIVE DRAINAGE  
AND MITIGATE EROSION.

↳ OBSERVED THE REMEDIAL CONTRACTOR (BRISTOL)  
SPREADING SEED ON THE AREA

1645 LOCATIONS OF THE FORMER ASTS ARE  
NOT APPARANT

1650 DEBRIS NOT OBSERVED ONSITE OR AROUND  
THE PERIMETER

1715 LEFT THE SITE  Christopher D. Fell 9/14/13

Scale: 1 square = \_\_\_\_\_ PAGE 42

NE CAPE  
5 YEAR REVIEW

USACE  
9/15/13

0730 PAPERWORK & STREF

0745 BREAKFAST

0800 BRISTOL TALLGATE

0830 JACOBS TALLGATE

### PERSONNEL

JACOBS J. ORCZEWSKA SSO/TECH

JACOBS C. FELL SITE LEAD

### WX:

OVERCAST

LIGHT BREEZE

LOW 40s F

PAZ: LEVEL D MODIFIED

### DAILY OBJECTIVES

- SITEWALK REMAINING 7 SITES

- PREP FOR DEMOBR

Scale: 1 square = \_\_\_\_\_ PAGE 43

*Rate in the Rain.*

NE CAPE  
5 YEAR REVIEW

USACE  
9/15/13

0931 ARRIVED AT SITE 28: DRAINAGE BASIN  
↳ 5 YEAR REVIEW CHECKLIST ON A  
SEPERATE FORM

0950 OBSERVED 5 30 FT BY 60 FT SETTLING PONDS FOR  
COLLECTING WATER & SEDIMENT FROM DREDGE OPERATIONS.  
↳ 11 SEDIMENT COLLECTION BAGS (25FT x 6FT x 1 1/2 FT)  
PRESENT IN THE PONDS  
↳ GAC SYSTEM BY PRO ACT BEING USED TO TREAT  
WATER PRIOR TO ONSITE DISPOSAL (OUT TO RUN DRA)

0956 INTERMEDIATE PONDS ARE BEING USED TO LIFT WATER & SEDIMENT  
UPHILL WITH PUMP STATIONS

1009 A SEDIMENT TRAP (STEEL WALL, 6FT WITH 3FT WALL)

1014 A SMALL DREDGE WAS BEING USED TO REMOVE SEDIMENT  
(ON PONTOONS)

1017 A JUTE MAT SEDIMENT TRAP WAS AT THE MOUTH  
OF THE DRAINAGE, DID NOT OBSERVE SEDIMENT  
ESCAPING INTO THE SUQUITUGHNEE RIVER

1018: DID NOT OBSERVE DEBRIS IN THE DRAINAGE


Scale: 1 square =

PAGE 44

NE CAPE  
5 YEAR REVIEW

USACE  
9/15/13

SITE 28: DRAINAGE BASIN



Scale: 1 square =

PAGE 45

Rite in the Rain



1027 LEFT SITE 28: DRAWAGE BASIN

1030 MET W/ ECO LAND SURVEYING ABOUT SURVEY  
OF SAMPLING LOCATIONS FROM 9/12/13

↳ NEED TO REMARK SITE 32

↳ WILL VISIT SITE 7 & SITE 9 WITH THE  
SURVEYOR BEFORE LUNCH

1050 ARRIVED AT SITE 21: WASTEWATER TANK

↳ 5 YEAR REVIEW FORM ON A SEPERATE FORM

1105 OBSERVED BRISTOL (REMEDIAL CONTRACTOR) SETTING  
THE GRAVEL PAD AT THE END OF THE ROAD


1109 GRAVEL PAD HAD BEEN AN OPEN EXCAVATION 3 DAYS  
AGO. NOW IS BACKFILLED WITH GRAVEL WITH <sup>CE</sup>15

LITTLE SILT.

↳ A SILT FENCE IS BETWEEN THE PAD AND  
OPEN WATER DOWN GRADIENT

BACKFILL DOES NOT APPEAR TO HAVE BEEN  
COMPACTED AND IS TOO WET TO DO SO  
(PUMPING UNDER FOOT)

SITE 21: WASTEWATER TANK



NE CAPE  
5 YEAR REVIEW

USACE  
9/15/13


- 1121 LEFT SITE 21: WASTEWATER TANK
- 1123 ARRIVED AT SITE 16: <sup>PAINT & ROPE STORAGE</sup> ~~HEAT & POWER PLANT~~ <sup>CP</sup> 9/15  
↳ 5 YEAR REVIEW FORM ON A SEPARATE FORM
- 1125 MET WITH SURVEYORS TO SHOW WHERE  
TO SAMPLING LOCATIONS ARE
- 1155
- 1155 LEFT SITE FOR LUNCH
- 1230 LEFT CAMP FOR SITE
- 1241 ARRIVED ON SITE 16: <sup>PAINT & ROPE STORAGE</sup> ~~HEAT & POWER PLANT~~ <sup>CP</sup> 9/15
- 1251 OBSERVED AN ABANDONED MONITORING WELL  
THAT WAS NEAR THE SW CORNER OF THE  
FORMER BUILDING
- 1257 OBSERVED AN ABANDONED MONITORING WELL THAT  
WAS NEAR THE NW CORNER OF THE SITE.  
↳ SURFACE WAS FILLED WITH NATIVE MATERIAL  
SOME OF THE CONCRETE FROM THE SURFACE  
COMPLETION
- 1300 SITE HAS BEEN RECENTLY GRADED AND SEEDRED  
ON THE SE PORTION

Scale: 1 square =

PAGE 48

NE CAPE  
5 YEAR REVIEW

USACE  
9/15/13



Scale: 1 square =

PAGE 49

Site in the Rain

NE CAPE  
5 YEAR REVIEW

USACE  
9/15/13

1301 MUCH OF THE WESTERN PORTION OF THE SITE IS BEING USED TO ACCESS SITE 28 OR AS AN EQUIPMENT STORAGE AREA - AN APPROX 3 YD PILE OF SOIL IS ON SITE

1302 GRADING OF THE SITE APPEARS TO PROMOTE POSITIVE DRAINAGE AND MITIGATE EROSION

1307 LEFT SITE 16: PAINT & ROPE STORAGE

1313 ONSITE (13, 15, 19, 27) FOR SITE WALKS  
↳ 5 YEAR REVIEW CHECKLIST ON SEPARATE FORMS  
NEEDS REPAIR


1325 MONITORING WELL MW 88-10 → OK CONDITION  
- WELL MONUMENT (FLUSH) CLOSURES BUT NOT BOLTED  
- WELL CASING IS OK AND FITTED WITH LOCKING CAP THAT IS NOT LOCKED

1332 MONITORING WELL MW 88-1 → POOR CONDITION  
- WELL MONUMENT (FLUSH) DOES NOT CLOSE  
- WELL CASING HAS FROST JACKED AND THE CAP IS NOT LOCKED

1335 MONITORING WELL MW 88-3 → POOR CONDITION  
- WELL MONUMENT (FLUSH) DOES NOT CLOSE  
- WELL CASING HAS FROST JACKED AND THE CAP IS NOT LOCKED

NE CAPE  
5 YEAR REVIEW

USACE  
9/15/13



NE CAPE  
5 YEAR REVIEW

USACE  
9/15/13

1350 BUILDING AT SITE 13 HAS BEEN REMOVED  
ALONG WITH THE FOUNDATION

1353 BUILDING & FOUNDATION ON THE N<sup>W</sup> PORTION OF  
SITE 19 HAS BEEN REMOVED. THE FOUNDATION  
FOR THE BUILDING ON THE SW PORTION OF  
SITE 19 REMAINS.

1355 SITES 13, 15, & 27 HAVE BEEN RECENTLY  
GRADED, AND SEEDED TO PROMOTE POSITIVE  
DRAINAGE AND MITIGATE EROSION ALONG WITH  
THE NORTHERN HALF OF SITE 19

1356, MONITORING WELLS IN THE CENTRAL PORTION  
OF THE MAW OPERATIONS COMPLEX (MOC) WERE  
NOT OBSERVED

↳ LIKELY DECOMMISSIONED OR REMOVED  
DURING EXCAVATION

1400 LEFT SITE

1415 BACK AT CAMP

NE CAPE  
5 YEAR REVIEW

USACE  
9/15/13

1415 5 YEAR REVIEW PAPERWORK  
to and QC

1800

End of Day



9/15/13

NE CAPE

USACE

5 YEAR REVIEW

9/16/13

Personnel: C. FELL  
J. ORCZEWSKA

Weather: Rain, 30-40°F  
light wind

PPE: Mod. Level D

Objectives: - Prep site for Demobe  
- QC paperwork  
- Interview QAR for any remaining questions

9/16/13

~~08~~ 0755: Bristol Tailgate

0800: Jacobs Tailgate

0830: Continue site paperwork and QC.

+300 (CF) 9/16/13

NE CAPE

USACE

5 YEAR REVIEW

9/16/2013

1030 - Prep gear for Demob

~~1415 - FLIGHT TO HOME~~ (CF) 9/16/13

1300 - INTERVIEW w/ J. CRAWER (USACE)

↳ SITE 28 SEDIMENTATION POND(S)

- PLAN TO NOT CONSTRUCT AS SEDIMENT LOAD IN THE DRAINAGE IS LOW AND CONSTRUCTION WOULD LIKELY INCREASE RISK OF SPREADING CONTAMINATED SEDIMENT

↳ SITES w/ MNA REMEDIES

- PLAN TO REPAIR WELLS NEXT SEASON

- PLAN TO AUGMENT NETWORK TO PROVIDE SUFFICIENT MONITORING NEXT YEAR

1415 - DEMOBE TO HOME

2000 - DEMOBE TO AUC

2130 - END OF DAY

Christopher D. Fell 9/16/13



NE CAPE  
5 YEAR REVIEW

USACE  
PHOTO LOG

\* CONTINUED FROM PS161 \*

Date	Photo#	Dir.	Description
9/14/13	070	N/A	Site 29 Drum in Pond
	071	SE	Site 29 Sugi River
	072	NW	Site 29 Sugi River
	073	SW	Site 8 South overview
	074	NE	Site 8 North Overview
	075	W	Site 10 Debris
	076	N/A	Site 10 Monitoring well
	077	S	Site 10 Bristol Staging
	078	N	Site 10 Bristol Staging
	079	N/A	Site 10 Concrete Ring
	080	N/A	Site 10 drum lid
	081	N/A	Site 10 abandoned well
	082	NW	Site 11 overview
	083	SW	Site 11 overview
	084	N/A	Site 11 monitoring well
9/14/13	085	N	Site 11 seeding
9/15/13	086	N	Site 28 Sedin Pond
	087	W	Site 28 Water filters
	088	NW	Site 28 Sediment Tubes
	089	E	Site 28 Intumed Pond
	090	N	Site 28 Flocculate add
	091	N	Site 28 Intermed Pond
9/15/13	092	NE	Site 28 Overview.

Scale: 1 square =

PAGE 56

NE CAPE  
5 YEAR REVIEW

USACE  
PHOTO LOG

Date	Photo#	Dir	Description
9/15/13	093	SW	Site 28 Overview
	094	E	Site 28 Water Pump
	095	E	Site 28 Sediment Trap
	096	N	Site 28 Bristol Demob
	097	S	Site 28 Overview
	098	S	Site 28 Dredge
	099	E	Site 28 Drainage to Sugi
	100	E	Site 28 Wattles before Sugi
	101	W	Site 21 Road
	102	W	Site 21 Road
	103	SE	Site 21 Backfill
	104	E	Site 21 Backfill
	105	W	Site 21 Silt Fence
	106	S	Site 21 Seeding
	107	E	Site 21 Road
	108	N	Site 16 Overview <sup>S28</sup> Access
	109	N/A	Site 16 Abandoned well
	110	E	Site 16 Overview
	111	S	Site 16 Overview
	112	N/A	Site 16 abandoned well
	113	N	Site 16 Abandoned well
	114	N	MOC Overview
9/15/13	115	N	MOC Overview

Scale: 1 square =

PAGE 57

Rate in the Rain

5 year Review  
NE CAPE

USACE  
PHOTOLOG

Date	Photo #	Dir.	Description
9/15/13	116	N	Site 19 Monitoring well
	117	W	Site 19 GeoTek
	118	W	MOC Overview
	119	<del>N</del> <sup>Site 15</sup>	<del>MOC</del> Overview
	120	N	Site 13 overview
	121	SE	Site 15 Overview
	122	N	Site 27 drainage
	123	N	Site 27 Well debris
	124	E	MOC Overview
9/15/13	125	S	MOC Overview

Scale: 1 square =

PAGE 58

NE CAPE  
S-YR REVIEW

USACE  
PHOTO LOG

DATE	PHOTO #	DIRECTION FACING	DESCRIPTION
9/12/13	001	S	CALIBRATION VSI
9/12/13	002	S	SITE KMS SAMPLING
9/12/13	003	N	SITE OVERVIEW
9/12/13	004	N	ZLF GW SAMPLING LOCATION
9/12/13	005	NE	9LF GW SAMPLING
9/12/13	006	n/a	9LF GW TURBIDITY
9/13/13	007	N	GW attempts ZLF <sup>9/13/13</sup>
9/13	008	N	Site 32 Roadway depression
9/13	009	<sup>9/13</sup> WE	Site 32 <sup>Roadway</sup> lower tramway
9/13	010	<sup>9/13</sup> SW	Site 32 <sup>9/13</sup> Old foundation <sup>upper tramway</sup>
9/13	011	<sup>9/13</sup> WS	Site 32 Debris old foundation
9/13	012	W	Site 32 Debris
9/13	013	N/A	Site 32 Asphaltic debris
9/13	014	N	Site 32 culvert
9/13	015	E	Site 32 culvert
9/13	016	S	Site 32 metal debris
9/13	017	W	Site 31 Recent grading
9/13	018	N	Site 31 Antenna foundation
9/13	019	W	Site 31 Antenna foundation
9/13	020	E	Site 31 Metal debris
9/13	021	N/A	Site 31 Drain
9/13	022	N	Site 31 Drainage
9/13/13	023	N	Site 31 Depression

Scale: 1 square =

PAGE 59

Rate in the Rain



NE CAPE  
5-YR REVIEW

USACE  
PHOTO LOG

DATE	PHOTO #	DIRECTION FACING	DESCRIPTION
9/13/13	024	N	Site 31 Foundations NE
	025	N	Site 7 Debris
	026	N/A	Site 7 Metal Debris
	027	N/A	Site 7 Metal Debris
	028	N	Site 7 Rusted Drums
	029	N	Site 7 debris in Ponds
	030	W	Site 7 landfill cap
	031	N	Site 7 Debris in Pond
	032	NW	Site 7 Debris in Pond
	033	W	Site 7 Debris in Pond
	034	E	Site 7 landfill cap
	035	E	Site 7 top of cap
	036	E	Site 7 Armored rock
	037	N/A	Site 7 Debris
	038	S	Site 7 Debris
	039	N/A	Site 7 Abandoned well loc.
	040	S	Site 7 Debris in Pond
	041	N/A	Site 7 Possible Drum
	042	N/A	Site 9 Abandoned well loc
	043	W	Site 9 Diversion trench
	044	W	Site 9 landfill cap
	045	E	Site 9 Vegetation
9/13/13	046	N	Site 9 Pond near cap

Scale: 1 square =

PAGE 60

NE CAPE  
5-YR REVIEW

USACE  
PHOTO LOG

DATE	PHOTO #	DIRECTION FACING	DESCRIPTION
9/13/13	047	S	Site 9 Culvert
9/14/13	048	S	Site 1 Pond
	049	E	Site 1 cracking <sup>on edge</sup>
	050	E	Site 1 loading equip.
	051	NE	Site 1 Runway
	052	NE	Site 1 4-wheel trail off runway
	053	W	Site 3 Overview
	054	SW	Site 3 Pond on site
	055	S	Site 3 Pond on site
	056	SE	Site 3 Recent excavation
	057	N/A	Site 3 Sheen in Pond
	058	N/A	Site 6 Abandoned well
	059	N/A	Site 6 Abandoned well
	060	E	Site 6 Bristol Staging
	061	NW	Site 6 Bristol Staging
	062	E	Site 6 Nearby Pond
	063	E	Site 29 Overview <sup>from</sup> off Road
	064	W	Site 29 Overview from Road
	065	E	Site 29 Sugi River
	066	SE	Site 29 Bristol Water Intake
	067	E	Site 29 Sugi River
	068	E	Site 29 Culvert
9/14/13	069	W	Site 29 Sugi River

\* CONTINUED ON PAGE 50 \*

Scale: 1 square =

PAGE 61

Rate in the Rain





Groundwater Sampling Data Sheet

JACOBS

<b>Site Name</b> 9LF-WS-01	<b>Event</b> GRAB SAMPLING	<b>Well ID</b> n/a	<b>Project Number</b> 05F45902
<b>Weather Conditions</b> Overcast, slight breeze	<b>PID Readings of Total VOCs (ppm)</b> Ambient n/a Breathing Zone n/a In Well n/a	<b>Date</b> 9/12/13	<b>Sampler Initials</b> KM/JO/CF

Well Information

<b>Well Integrity</b> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Poor <input type="checkbox"/>	<b>TOC Stickup (ft aqs)</b> n/a	<b>Well Casing Material</b> PVC / SS n/a	<b>Casing Diameter(in) / Gallons per linear foot(gal/ft)</b> 1 / 0.041 2 / 0.163 4 / 0.653 6 / 1.469
<b>Depth to Product (ft)</b> n/a	<b>Depth to SW (ft btoc)</b> Approx: n/a	<b>Total Depth of Casing (ft btoc)</b> n/a (final)	<b>Product Thickness (ft) and Volume Recovered (mL)</b> n/a
Max purge volume (3 well casing volumes) = [previous total depth of casing (ft) - depth to water (ft)] * gallons per linear foot of casing * 3			
SHOW WORK Max Purge Volume = ( <u>NA</u> ft - <u>NA</u> ft ) * <u>SURFACE WATER</u> gal/ft * 3 = <u>NA</u> gal * 3.785 L/gal = <u>NA</u> L			

Well Purging Information

<b>Start Time</b> 1000	<b>Finish Time</b> 1135	<b>Depth of Tubing (ft btoc)</b> n/a	<b>Equipment Used for Purging</b> Batter <input type="checkbox"/> Peristaltic Pump <input checked="" type="checkbox"/> Submersible Pump <input type="checkbox"/>
<b>Color</b> Clear <input checked="" type="checkbox"/> Cloudy <input type="checkbox"/> Brown <input type="checkbox"/> Other: <input type="checkbox"/>	<b>Odor</b> None <input checked="" type="checkbox"/> Moderate <input type="checkbox"/> Faint <input type="checkbox"/> Strong <input type="checkbox"/>	<b>Sheen</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<b>Purged Dry</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
<b>Meter Used During Purging</b> YSI Multi Meter <input checked="" type="checkbox"/> Hach Turbidimeter <input checked="" type="checkbox"/>			

Purging reached: Stability Max Vol. Purge-water was: Treated  Stored  Other  Note: DECON H2O FOR OFFSITE DISPOSAL

Time (HH:mm)	Volume (Gallons or Liters)		Acceptable Range to Demonstrate Stability						
	Change	Total	± 0.2 °C Temperature (°C)	± 3% Conductivity (µS/cm)	± 10% or 0.2 mg/L (whichever is greater) DO (mg/L)	± 0.1 pH (std units)	± 10 mV ORP (mV)	<10 NTU and ±1 NTU Turbidity (NTU)	Drawdown < 0.9 ft Water Level (feet btoe)
10:00	N/A	N/A	6.09	36	90.1	5.4	203.8	19.27	0.0
<p><i>Christopher D. Fell 9/12/13</i></p>									

Sample Collection Information

<b>Start Time</b> 1000	<b>Finish Time / Date</b> 1135 / 9/12/13	<b>Depth of Tubing (ft btoc)</b> 0.2 N/A	<b>Equipment Used for Sampling</b> DIPPER <input checked="" type="checkbox"/> Peristaltic Pump <input type="checkbox"/> Submersible Pump <input type="checkbox"/>
<b>SAMPLE ID:</b> 13-9LF-WS01-0		<b>QC:</b> Dup MS/MSD	<b>Ferrous Iron (Fe<sup>2+</sup>) (mg/L) =</b> N/A per work plan
<b>Container/Preservative</b> see logbook pg. 4		<b>Analysis Requested</b>	<b>Notes</b>

"—" = not measured "✓" = stable "+" = rising "-" = falling "\*" = all parameters stable

\_\_\_\_ Additional observations on back

N/A = Not Applicable



**Groundwater Sampling Data Sheet**

**JACOBS**

<u>Site Name</u> 9LF-WS-03	<u>Event</u> GRAB SAMPLING	<u>Well ID</u> —	<u>Project Number</u> 05F45902
<u>Weather Conditions</u> Sunny, slight breeze	<u>PID Readings of Total VOCs (ppm)</u> Ambient — Breathing Zone — In Well —	<u>Date</u> 9/12/13	<u>Sampler Initials</u> KM/JO/CF

**Well Information**

<u>Well Integrity</u> Good <del>Fair</del> Poor	<u>TOC Stickup (ft aqs)</u> NA	<u>Well Casing Material</u> PVC <del>SS</del>	<u>Casing Diameter(in) / Gallons per linear foot(gal/ft)</u> 1 / 0.041 <del>2 / 0.163</del> 4 / 0.653 6 / 1.469
<u>Depth to Product (ft)</u> NA	<u>Depth to GW (ft btoc)</u>	<u>Total Depth of Casing (ft btoc)</u> NA (final)	<u>Product Thickness (ft) and Volume Recovered (mL)</u> NA

Max purge volume (3 well casing volumes) = [previous<sup>†</sup> total depth of casing (ft) – depth to water (ft)] \* gallons per linear foot of casing \* 3  
 SHOW WORK Max Purge Volume = ( — ft – — ft ) \* — gal/ft \* 3 = — gal \* 3.785 L/gal = — L

**Well Purging Information**

<u>Start Time</u> 1149	<u>Finish Time</u> 1153	<u>Depth of Tubing (ft btoc)</u> NA	<u>Equipment Used for Purging</u> Bailer <input checked="" type="checkbox"/> Peristaltic Pump <input type="checkbox"/> Submersible Pump
<u>Color</u> Clear <input checked="" type="checkbox"/> Cloudy <input type="checkbox"/> Brown <input type="checkbox"/> Other:	<u>Odor</u> None <input checked="" type="checkbox"/> Moderate <input type="checkbox"/> Faint <input type="checkbox"/> Strong <input type="checkbox"/>	<u>Sheen</u> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<u>Purged Dry</u> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
<u>Meter Used During Purging</u> YSI Multi Meter <input checked="" type="checkbox"/> Hach Turbidimeter <input checked="" type="checkbox"/>		<u>Purging reached: Stability</u> <input checked="" type="checkbox"/> <u>Max Vol.</u> <input type="checkbox"/> <u>Purge water was:</u> Treated <input checked="" type="checkbox"/> Stored <input type="checkbox"/> Other <input type="checkbox"/> Note:	

Time (HH:mm)	Volume (Gallons or Liters)		Acceptable Range to Demonstrate Stability						
	Change	Total	± 0.2 °C Temperature (°C)	± 3% Conductivity (µS/cm)	± 10% or 0.2 mg/L (whichever is greater) DO (mg/L)	± 0.1 pH (std units)	± 10 mV ORP (mV)	<10 NTU and ±1 NTU Turbidity (NTU)	Drawdown < 0.3 ft Water Level (feet btoc)
1149			6.07	38	96.8	6.02	172.2	0.54	0

**Sample Collection Information**

<u>Start Time</u> 1155	<u>Finish Time / Date</u> 1211	<u>Depth of Tubing (ft btoc)</u> —	<u>Equipment Used for Sampling</u> DIPPER <input checked="" type="checkbox"/> Peristaltic Pump <input type="checkbox"/> Submersible Pump
<u>SAMPLE ID:</u> 13-9LF-WS03-0		<u>QC:</u> Dup MS/MSD	<u>Ferrous Iron (Fe<sup>2+</sup>) (mg/L) =</u> — N/A per work plan
<u>Container/Preservative</u> see logbook		<u>Analysis Requested</u>	<u>Notes</u>

“—” = not measured “✓” = stable “+” = rising “-” = falling “” = all parameters stable \_\_\_\_\_ Additional observations on back



Groundwater Sampling Data Sheet

JACOBS

Site Name <b>9LF-WS04</b>	Event <b>GRAB SAMPLING</b>	Well ID <b>NA</b>	Project Number <b>05P45902</b>
Weather Conditions <b>Sunny, slight breeze</b>	PID Readings of Total VOCs (ppm) Ambient <u>    </u> Breathing Zone <u>    </u> In Well <u>    </u>	Date <b>9/12/13</b>	Sampler Initials <b>KM/JO/CF</b>

Well Information

Well Integrity <b>Good</b> Fair Poor	TOC Stickup (ft ags) <b>n/a</b>	Well Casing Material <b>PVC SS</b>	Casing Diameter(in) / Gallons per linear foot(gal/ft) <del>1/0.041 2/0.163 4/0.663 6/1.469</del>
Depth to Product (ft) <b>n/a</b>	Depth to GW (ft btoc) <b>n/a</b>	Total Depth of Casing (ft btoc) <b>n/a</b> (final)	Product Thickness (ft) and Volume Recovered (mL)

Max purge volume (3 well casing volumes) = [previous<sup>1</sup> total depth of casing (ft) - depth to water (ft)] \* gallons per linear foot of casing \* 3

SHOW WORK Max Purge Volume = ( NA <sup>1</sup> ft -      ft ) \*      gal/ft \* 3 =      gal \* 3.785 L/gal =      L

Well Purging Information

Start Time <b>1345</b>	Finish Time <b>1350</b>	Depth of Tubing (ft btoc) <u>    </u>	Equipment Used for Purging <input checked="" type="checkbox"/> Baller <input checked="" type="checkbox"/> Peristaltic Pump <input type="checkbox"/> Submersible Pump
Color <input type="checkbox"/> Clear <input checked="" type="checkbox"/> Cloudy <input type="checkbox"/> Brown Other: <u>    </u>	Odor <input checked="" type="checkbox"/> None <input type="checkbox"/> Moderate <input type="checkbox"/> Faint <input type="checkbox"/> Strong	Sheen <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Purged Dry <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Meter Used During Purging <input checked="" type="checkbox"/> YSI Multi Meter <input checked="" type="checkbox"/> <b>MICRO</b> Hach Turbidimeter			

Purging reached: Stability Max Vol. Purge water was: Treated Stored Other Note:

Time (HH:MM)	Volume (Gallons or Liters)		Acceptable Range to Demonstrate Stability						
	Change	Total	± 0.2 °C Temperature (°C)	± 3% Conductivity (µS/cm)	± 10% or 0.2 mg/L (whichever is greater) DO (mg/L)	± 0.1 pH (std units)	± 10 mV ORP (mV)	<10 NTU and ±1 NTU Turbidity (NTU)	Drawdown < 0.3 ft Water Level (feet btoc)
<b>1345</b>	<u>    </u>	<u>    </u>	<b>7.90</b>	<b>100</b>	<b>80.8</b>	<b>6.34</b>	<b>150.9</b>	<b>210.2</b>	<u>    </u>

*Handwritten signature and notes:*  
 Christopher J. Sell  
 9/12/13

Sample Collection Information

Start Time <b>1350</b>	Finish Time / Date <b>1450</b>	Depth of Tubing (ft btoc) <b>n/a</b>	Equipment Used for Sampling <input checked="" type="checkbox"/> Peristaltic Pump <input type="checkbox"/> Submersible Pump
SAMPLE ID: <b>13-9LF-WS04-0</b>		QC: Dup MS/MSD	Ferrous Iron (Fe <sup>2+</sup> ) (mg/L) = <b>N/A per work plan</b>

Container/Preservative <b>see logbook</b>	Analysis Requested	Notes
--	--------------------	-------

"—" = not measured "✓" = stable "+" = rising "-" = falling "\*" = all parameters stable \_\_\_\_\_ Additional observations on back



Groundwater Sampling Data Sheet

JACOBS

Site Name <b>SITE 9 LANDFILL</b>	Event <b>GW GRAB SAMPLE</b>	Well ID <b>9LF-WG01</b>	Project Number <b>05F45902</b>
Weather Conditions <b>P. CLOUDY</b>	PID Readings of Total VOCs (ppm) Ambient <b>nk</b> Breathing Zone <b>n/a</b> In Well <b>n/a</b>	Date <b>9/12/13</b>	Sampler Initials <b>ku/co/so</b>

Well Information

Well Integrity <b>Good</b> Fair Poor	TOC Stickup (ft ags) <b>1.5</b>	Well Casing Material <b>PVC SS</b>	Casing Diameter(In) / Gallons per linear foot(gal/ft) <b>1 / 0.041</b> <del>2 / 0.163</del> <del>4 / 0.653</del> <del>6 / 1.489</del>
Depth to Product (ft) <b>n/a</b>	Depth to GW (ft btoe) <b>2.8</b> <sup>ags</sup>	Total Depth of Casing (ft btoe) <b>4'</b> (final) <sup>ags</sup>	Product Thickness (ft) and Volume Recovered (mL) <b>n/a</b>

Max purge volume (3 well casing volumes) = [previous<sup>1</sup> total depth of casing (ft) - depth to water (ft)] \* gallons per linear foot of casing \* 3  
 SHOW WORK Max Purge Volume = ( **n/a** ft - **n/a** ft ) \* **n/a** gal/ft \* 3 = **n/a** gal \* 3.785 L/gal = **n/a** L

Well Purging Information

Start Time <b>1351</b>	Finish Time	Depth of Tubing (ft btoe) <b>3.3 FT</b> <sup>ags</sup>	Equipment Used for Purging <del>Bailer</del> <b>Peristaltic Pump</b> <del>Submersible Pump</del>
Color Clear Cloudy <b>Brown</b> Other:	Odor <b>None</b> Moderate Faint Strong	Sheen Yes <b>No</b>	Meter Used During Purging <b>YSI Multi Meter</b> <b>AMRO 1P Turbidimeter</b>
Purging reached: Stability Max Vol.		Purge water was: Treated Stored Other Note:	

Time (HH:mm)	Volume (Gallons or Liters)		Acceptable Range to Demonstrate Stability						Drawdown < 0.3 ft
	Change	Total	± 0.2 °C Temperature (°C)	± 3% Conductivity (µS/cm)	± 10% or 0.2 mg/L (whichever is greater) DO (mg/L)	± 0.1 pH (std units)	± 10 mV ORP (mV)	< 10 NTU and ± 1 Turbidity (NTU)	
1351	N/A	N/A	6.22	132	5.90	5.44	177	over range	dry
<div style="border: 1px solid black; border-radius: 50%; width: 100px; height: 100px; display: flex; align-items: center; justify-content: center; margin: 0 auto;"> <span style="font-size: 2em; font-weight: bold;">GW</span> </div> <p style="font-size: 1.5em; margin: 0 auto;">9/12/13</p>									

Sample Collection Information

Start Time <b>1351</b>	Finish Time / Date <b>15:50</b>	Depth of Tubing (ft btoe) <b>2.8</b> <sup>ags</sup>	Equipment Used for Sampling <b>DIPPED</b> <b>Peristaltic Pump</b> <del>Submersible Pump</del>
SAMPLE ID: <b>13-9LF-WG01-2</b>		QC: Dup MS/MSD	Ferrous Iron (Fe <sup>2+</sup> ) (mg/L) = <b>N/A per work plan</b>

Container/Preservative	Analysis Requested	Notes
		<b>see logbook page for notes regarding poor water production for temp wellpoint</b>



**Groundwater Sampling Data Sheet**

**JACOBS**

<b>Site Name</b> KMS <del>KMS-WS01-0</del>	<b>Event</b> GRAB SAMPLING	<b>Well ID</b> —	<b>Project Number</b> OSF45902
<b>Weather Conditions</b> Sunny Slight Breeze	<b>PID Readings of Total VOCs (ppm)</b> Ambient: <u>n/a</u> Breathing Zone: <u>n/a</u> In Well: <u>n/a</u>	<b>Date</b> 9/12/13	<b>Sampler Initials</b> CP/JO

**Well Information**

<b>Well Integrity</b> Good <u>n/a</u> Fair <u>n/a</u> Poor <u>n/a</u>	<b>TOC Stickup (ft ags)</b> <u>n/a</u>	<b>Well Casing Material</b> <u>PVC</u> SS <u>n/a</u>	<b>Casing Diameter (in) / Gallons per linear foot (gal/ft)</b> <u>n/a</u> 1/0.041 2/0.163 4/0.653 6/1.469
<b>Depth to Product (ft)</b> <u>n/a</u>	<b>Depth to GW (ft btoc)</b> <u>n/a</u>	<b>Total Depth of Casing (ft btoc)</b> <u>n/a</u> (final)	<b>Product Thickness (ft) and Volume Recovered (mL)</b> <u>n/a</u>

Max purge volume (3 well casing volumes) = [previous<sup>†</sup> total depth of casing (ft) – depth to water (ft)] \* gallons per linear foot of casing \* 3

SHOW WORK Max Purge Volume = ( n/a † ft – n/a ft ) \* n/a gal/ft \* 3 = n/a gal \* 3.785 L/gal = n/a L

**Well Purging Information**

<b>Start Time</b> 1505	<b>Finish Time</b> 1516	<b>Depth of Tubing (ft btoc)</b> —	<b>Equipment Used for Purging</b> Bailer <u>Peristaltic Pump</u> <u>Submersible Pump</u>
<b>Color</b> <u>Clear</u> <u>Cloudy</u> <u>Brown</u> Other: —	<b>Odor</b> <u>None</u> <u>Moderate</u> <u>Faint</u> <u>Strong</u>	<b>Sheen</b> <u>Yes</u> <u>No</u>	<b>Purged Dry</b> <u>Yes</u> <u>No</u>
<b>Meter Used During Purging</b> <u>YSI Multi Meter</u> <u>Micro Hash-Turbidimeter</u>		<b>Purging reached: Stability Max Vol.</b> Purge water was: <u>Treated</u> <u>Stored</u> <u>Other</u> Note: <u>FOR OFFSITE DISPOSAL</u>	

Time (HH:mm)	Volume (Gallons or Liters)		Acceptable Range to Demonstrate Stability						
	Change	Total	± 0.2 °C Temperature (°C)	± 3% Conductivity (µS/cm)	± 10% or 0.2 mg/L (whichever is greater) DO (mg/L)	± 0.1 pH (std units)	± 10 mV ORP (mV)	<10 NTU and ±1 NTU Turbidity (NTU)	Drawdown < 0.8 ft Water Level (feet btop)
1516	n/a	n/a	4.24	32	13.0	6.31	186.2	0.54	n/a
<p><i>Handwritten note:</i> Christopher D Bell 9/12/13</p>									

**Sample Collection Information**

<b>Start Time</b> 1521	<b>Finish Time / Date</b> 1539	<b>Depth of Tubing (ft btoc)</b> n/a	<b>Equipment Used for Sampling</b> <u>DIPPER</u> <u>Peristaltic Pump</u> <u>Submersible Pump</u>
<b>SAMPLE ID:</b> 13-KMS-WS01-0		<b>QC:</b> <u>Dup</u> <u>MS/MSD</u>	<b>Ferrous Iron (Fe<sup>2+</sup>) (mg/L) =</b> <u>N/A per work plan</u>
<b>Container/Preservative</b>		<b>Analysis Requested</b>	<b>Notes</b>
SEE LOG BOOK			

“—” = not measured “✓” = stable “+” = rising “-” = falling “\*” = all parameters stable

\_\_\_ Additional observations on back



# Groundwater Sampling Data Sheet

**JACOBS**

<u>Site Name</u> 7LF-WS01	<u>Event</u> GRAB SAMPLING	<u>Well ID</u> n/a	<u>Project Number</u> 05F45902
<u>Weather Conditions</u> sunny, slight breeze	<u>PID Readings of Total VOCs (ppm)</u> Ambient n/a Breathing Zone n/a In Well n/a	<u>Date</u> 9/12/13	<u>Sampler Initials</u> cfl/kal/so

## Well Information

<u>Well Integrity</u> Good <del>Fair</del> <del>Poor</del> n/a	<u>TOC Stickup (ft ags)</u> n/a	<u>Well Casing Material</u> <del>PVC</del> SS n/a	<u>Casing Diameter(in) / Gallons per linear foot(gal/ft)</u> 1 / 0.041 2 / 0.163 4 / 0.653 6 / 1.469
<u>Depth to Product (ft)</u> n/a	<u>Depth to GW (ft btoc)</u> n/a	<u>Total Depth of Casing (ft btoc)</u> n/a (final)	<u>Product Thickness (ft) and Volume Recovered (mL)</u> n/a

Max purge volume (3 well casing volumes) = [previous<sup>†</sup> total depth of casing (ft) - depth to water (ft)] \* gallons per linear foot of casing \* 3

SHOW WORK Max Purge Volume = ( n/a<sup>†</sup> ft - n/a ft ) \* n/a gal/ft \* 3 = n/a gal \* 3.785 L/gal = n/a L

## Well Purging Information

<u>Start Time</u> 1025	<u>Finish Time</u> 1626	<u>Depth of Tubing (ft btoc)</u> n/a	<u>Equipment Used for Purging</u> <del>Bailer</del> <u>Peristaltic Pump</u> <del>Submersible Pump</del>
<u>Color</u> <del>Clear</del> <del>Cloudy</del> <del>Brown</del> Other: n/a	<u>Odor</u> <u>None</u> <del>Moderate</del> <del>Faint</del> <del>Strong</del>	<u>Sheen</u> <u>Yes</u> <del>No</del>	<u>Purged Dry</u> <u>Yes</u> <del>No</del>
<u>Meter Used During Purging</u> <u>YSI Multi Meter</u> <u>Hach Turbidimeter</u>		Purging reached: <u>Stability</u> <del>Max Vol.</del> Purge water was: <u>Treated</u> <del>Stored</del> <del>Other</del> Note:	

Time (HH:mm)	Volume (Gallons or Liters)		Acceptable Range to Demonstrate Stability						
	Change	Total	± 0.2 °C Temperature (°C)	± 3% Conductivity (µS/cm)	± 10% or 0.2 mg/L (whichever is greater) DO (mg/L)	± 0.1 pH (std units)	± 10 mV ORP (mV)	<10 NTU and ±1 NTU Turbidity (NTU)	Drawdown < 0.3 ft Water Level (feet bpg)
1025			11.42	42	98.0	6.06	179.9	1106.2	

## Sample Collection Information

<u>Start Time</u> 1030	<u>Finish Time / Date</u> 1650	<u>Depth of Tubing (ft btoc)</u> n/a	<u>Equipment Used for Sampling</u> <u>DIPPER</u> <u>Peristaltic Pump</u> <del>Submersible Pump</del>
<u>SAMPLE ID:</u> 13-7LF-WS01-01		<u>QC:</u> Dup MS/MSD	<u>Ferrous Iron (Fe<sup>2+</sup>) (mg/L)</u> = N/A per-work plan
<u>Container/Preservative</u>	<u>Analysis Requested</u>	<u>Notes</u>	
	SEE LOG BOOK		

"—" = not measured "✓" = stable "+" = rising "-" = falling "" = all parameters stable

\_\_\_\_\_ Additional observations on back

Groundwater Sampling Data Sheet

JACOBS

Site Name <b>7LF-WS02</b>	Event <b>GRAB SAMPLING</b>	Well ID <b>n/a</b>	Project Number <b>05F45902</b>
Weather Conditions <b>40°F SUNNY/SLIGHT BREEZE</b>	PID Readings of Total VOCs (ppm) Ambient <b>n/a</b> Breathing Zone <b>n/a</b> In Well <b>n/a</b>	Date <b>9/12/13</b>	Sampler Initials <b>CP/KALJO</b>

Well Information

Well Integrity Good <del>Fair</del> <del>Poor</del> <b>n/a</b>	TOC Stickup (ft ags) <b>n/a</b>	Well Casing Material <b>n/a</b> PVC SS	Casing Diameter(in) / Gallons per linear foot(gal/ft) <del>1/0.041 2/0.163 4/0.653 6/1.469</del>
Depth to Product (ft) <b>n/a</b>	Depth to GW (ft btoc) <b>n/a</b>	Total Depth of Casing (ft btoc) <b>n/a</b> (final)	Product Thickness (ft) and Volume Recovered (mL) <b>n/a</b>
Max purge volume (3 well casing volumes) = [previous <sup>†</sup> total depth of casing (ft) - depth to water (ft)] * gallons per linear foot of casing * 3			
SHOW WORK Max Purge Volume = ( <b>n/a</b> <sup>†</sup> ft - <b>n/a</b> ft ) * <b>n/a</b> gal/ft * 3 = <b>n/a</b> gal * 3.785 L/gal = <b>n/a</b> L			

Well Purging Information

Start Time <b>1710</b>	Finish Time <b>1712</b>	Depth of Tubing (ft btoc) <b>n/a</b>	Equipment Used for Purging Baller <input type="checkbox"/> Peristaltic Pump <input checked="" type="checkbox"/> Submersible Pump <input type="checkbox"/>
Color Clear <input type="checkbox"/> Cloudy <input type="checkbox"/> <b>Brown</b> <input checked="" type="checkbox"/> Other:	Odor None <input checked="" type="checkbox"/> Moderate <input type="checkbox"/> Faint <input type="checkbox"/> Strong <input type="checkbox"/>	Sheen Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Purged Dry Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Purging reached: <del>Stability</del> <del>Max Vol.</del>		Purge water was: Treated <input type="checkbox"/> <b>Stored</b> <input checked="" type="checkbox"/> Other <input type="checkbox"/>	Meter Used During Purging <b>YSI Multi Meter</b> <input checked="" type="checkbox"/> <del>Hack Turbidimeter</del> <input type="checkbox"/>
Note: <b>FOR OFFSITE DISPOSAL</b>			

Time (HH:mm)	Volume (Gallons or Liters)		Acceptable Range to Demonstrate Stability						
	Change	Total	± 0.2 °C Temperature (°C)	± 3% Conductivity (µS/cm)	± 10% or 0.2 mg/L (whichever is greater) DO (mg/L)	± 0.1 pH (std units)	± 10 mV ORP (mV)	<10 NTU and ±1 NTU Turbidity (NTU)	Drawdown < 0.3 ft Water Level (feet btoc)
1710	n/a	n/a	12.77	45	96.8	6.10	160.0	33.44	n/a

Sample Collection Information

Start Time <b>1644</b>	Finish Time / Date <b>1720</b>	Depth of Tubing (ft btoc) <b>n/a</b>	Equipment Used for Sampling <del>Peristaltic Pump</del> <del>Submersible Pump</del> <b>DIPPER</b>
SAMPLE ID: <b>13-7LF-WS02-0</b>		QC: <del>Dup</del> <del>MS/MSD</del>	Ferrous Iron (Fe <sup>2+</sup> ) (mg/L) = <b>N/A per work plan</b>
Container/Preservative	Analysis Requested	Notes	
<b>SEE LOG BOOK</b>			

"—" = not measured "✓" = stable "+" = rising "-" = falling "" = all parameters stable \_\_\_\_\_ Additional observations on back



Groundwater Sampling Data Sheet

JACOBS

Site Name <u>7LF-WS03</u>	Event <u>GRAB SAMPLING</u>	Well ID <u>n/a</u>	Project Number <u>05F45902</u>
Weather Conditions <u>40°F SUNNY SLIGHT BREEZE</u>	PID Readings of Total VOCs (ppm) Ambient <u>n/a</u> Breathing Zone <u>n/a</u> In Well <u>n/a</u>	Date <u>9/12/13</u>	Sampler Initials <u>CP/BJ/KY</u>

Well Information

Well Integrity <u>n/a</u> Good <del>Fair</del> Poor	TOC Stickup (ft aqs) <u>n/a</u>	Well Casing Material <u>n/a</u> PVC SS	Casing Diameter(in) / Gallons per linear foot(gal/ft) <del>1/0.041 2/0.163 4/0.653 6/1.460</del>
Depth to Product (ft) <u>n/a</u>	Depth to GW (ft btoc) <u>n/a</u>	Total Depth of Casing (ft btoc) <u>n/a</u> (final)	Product Thickness (ft) and Volume Recovered (mL) <u>n/a</u>

Max purge volume (3 well casing volumes) = [previous<sup>1</sup> total depth of casing (ft) - depth to water (ft)] \* gallons per linear foot of casing \* 3

SHOW WORK Max Purge Volume = (n/a ft - n/a ft) \* n/a gal/ft \* 3 = n/a gal \* 3.785 L/gal = n/a L

Well Purging Information

Start Time <u>11:54</u>	Finish Time <u>11:54</u>	Depth of Tubing (ft btoc) <u>n/a</u>	Equipment Used for Purging <del>Bailer</del> Peristaltic Pump <del>Submersible Pump</del>
Color <u>Clear</u> Cloudy Brown Other:	Odor <u>None</u> Faint Moderate Strong	Sheen <u>No</u> Yes	Purged Dry <u>No</u> Yes
Purging reached: Stability Max Vol.		Purge water was: Treated Stored Other Note:	

Meter Used During Purging: YSI Multi Meter ~~Hach Turbidimeter~~

Time (HH:mm)	Volume (Gallons or Liters)		Acceptable Range to Demonstrate Stability						
	Change	Total	± 0.2 °C Temperature (°C)	± 3% Conductivity (µS/cm)	± 10% or 0.2 mg/L (whichever is greater) DO (mg/L)	± 0.1 pH (std units)	± 10 mV ORP (mV)	<10 NTU and ±1 NTU Turbidity (NTU)	Drawdown < 0.3 ft Water Level (feet btoc)
<u>11:54</u>			<u>11.59</u>	<u>35</u>	<u>110.2</u>	<u>6.44</u>	<u>127.3</u>	<u>2.07</u>	<u>-</u>

T10 9/12/13

Sample Collection Information

Start Time <u>16:54</u>	Finish Time / Date <u>17:38</u>	Depth of Tubing (ft btoc) <u>n/a</u>	Equipment Used for Sampling <u>DIPPER</u> Peristaltic Pump <del>Submersible Pump</del>
SAMPLE ID: <u>3-7LF-WS03-0</u>		QC: <del>Dup MS/MSD</del>	Ferrous Iron (Fe <sup>2+</sup> ) (mg/L) = <u>N/A per work plan</u>
Container/Preservative	Analysis Requested	Notes	
<u>SEE LOG BOOK</u>			

**APPENDIX D**  
**Photograph Log**

Northeast Cape Sampling – St. Lawrence Island, Alaska

PHOTOGRAPH LOG  
TABLE OF CONTENTS

<u>Photo Number</u>	<u>Page</u>
Photo No. 1 – 12 September 2013 Calibrating the YSI water quality meter. Facing south. ....	1
Photo No. 2 – 12 September 2013 Sampling at Kangukhsam Mountain Spring. Facing south. ....	1
Photo No. 3 – 12 September 2013 Overview of Northeast Cape. Photograph taken facing north. ....	2
Photo No. 4 – 12 September 2013 Attempted groundwater grab sampling locations at Site 7. Facing north. ....	2
Photo No. 5 – 12 September 2013 Measuring surface water quality parameters prior to sampling at Site 9. Facing northeast. ....	3
Photo No. 6 – 21 September 2013 Sampling surface water at Site 9. Facing northeast. ....	3
Photo No. 7 – 12 September 2013 Recording sampling efforts in the field logbook. Facing south. ....	4

**Northeast Cape Sampling – St. Lawrence Island, Alaska**

(intentionally blank)

**Northeast Cape Sampling – St. Lawrence Island, Alaska**



**Photo No. 1 – 12 September 2013**  
Calibrating the YSI water quality meter. Facing south.



**Photo No. 2 – 12 September 2013**  
Sampling at Kangukhsam Mountain Spring. Facing south.



**Northeast Cape Sampling – St. Lawrence Island, Alaska**



**Photo No. 3 – 12 September 2013**  
Overview of Northeast Cape. Photograph taken facing north.



**Photo No. 4 – 12 September 2013**  
Attempted groundwater grab sampling locations at Site 7. Facing north.

**Northeast Cape Sampling – St. Lawrence Island, Alaska**



**Photo No. 5 – 12 September 2013**

Measuring surface water quality parameters prior to sampling at Site 9. Facing northeast.



**Photo No. 6 – 21 September 2013**

Sampling surface water at Site 9. Facing northeast




**Northeast Cape Sampling – St. Lawrence Island, Alaska**



**Photo No. 7 – 12 September 2013**

Recording sampling efforts in the field logbook. Facing south.

**APPENDIX E**  
**Waste Tracking**



# CERTIFICATE OF DISPOSAL/RECYCLE

**GENERATOR:** USACE  
NE CAPE - ST LAWRENCE ISLAND  
SAVOONGA AK 99769

**DISPOSAL FACILITY:** EMERALD ALASKA, INC.  
2020 VIKING DRIVE  
ANCHORAGE AK 99501

**EPA ID NUMBER:** AKO000228395  
**MANIFEST/DOCUMENT #:** NEC-1  
**DATE OF DISPOSAL/RECYCLE:** 09/27/2013

<u>LINE</u>	<u>WASTE DESCRIPTION</u>	<u>CONTAINERS</u>	<u>TYPE</u>	<u>QUANTITY</u>	<u>UOM</u>
1	DECON WATER	1	DF05	5	P

I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above described waste was managed in compliance with all applicable laws, regulations, permits, and licenses on the date listed above.

**PREPARED BY:** JOHN PEREZ

**SIGNATURE:** \_\_\_\_\_

**DATE:** 9/27/2013

*Your Local Partner for Recycling Environmental Services*

425 Outer Springer Loop Road - Palmer, AK 99645 - (907) 258-1558 - Fax (907) 746-3651 - Toll Free (877) 375-504

# NON-HAZARDOUS WASTE MANIFEST

AK 20514 (RP)

Please print or type (Form designed for use on elite (12 pitch) typewriter)

<b>NON-HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No. <b>AK 0000228395</b>	Manifest Document No <b>NEC-1</b>	2. Page 1 of 1	
3. Generator's Name and Mailing Address <b>USACE, PO Box 6898, JBER, AK, 99506</b> <b>CEPOA-EN-EE</b>					
4. Generator's Phone (907) <b>753-2628</b>					
5. Transporter 1 Company Name <b>Alaska Airlined</b>	6. US EPA ID Number <b>Exempt</b>	A. State Transporter's ID			
		B. Transporter 1 Phone <b>(907)-243-3322</b>			
7. Transporter 2 Company Name <b>Jacobs Engineering Group</b>	8. US EPA ID Number <b>Exempt</b>	C. State Transporter's ID			
		D. Transporter 2 Phone <b>(907)-563-3322</b>			
9. Designated Facility Name and Site Address <b>Everest Alaska Services</b> <b>8020 Ship Creek Avenue</b> <b>Anch, AK, 99501</b>		10. US EPA ID Number <b>AKR000004184</b>	E. State Facility's ID		
		F. Facility's Phone			
11. WASTE DESCRIPTION		Containers		13. Total Quantity	
		No.	Type		14. Unit Wt./Vol.
a. <b>Material not regulated by DOT</b>		<b>1</b>	<b>PDF</b>	<b>5</b>	<b>P</b>
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above <b>Rinse water from equipment decontamination</b> <b>AK02908</b>		H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information <b>NONE</b>					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name <b>Jeremy Crarr</b>		Signature <i>Jeremy Crarr on behalf of USACE</i>		Date Month Day Year <b>09   13   13</b>	
17. Transporter 1 Acknowledgement of Receipt of Materials		Date			
Printed/Typed Name <b>Transporter Refused to sign</b>		Signature <b>JR</b>		Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Date			
Printed/Typed Name <b>Kevin Maher Agent for Jacobs</b>		Signature <i>Kevin Maher</i>		Month Day Year <b>9   29   13</b>	
19. Discrepancy indication Space					
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name		Signature		Date Month Day Year	

NON-HAZARDOUS WASTE GENERATOR

**APPENDIX F**  
**Survey Data**





## Surveying & Mapping

P.O. Box 1444 Nome, Alaska 99876

(907) 443-6068

[www.eco-land-llc.com](http://www.eco-land-llc.com)

### Northeast Cape Project 2013

September 17, 2013

Jacob's Engineering  
Water Sample Locations  
Alaska State Plane Zone 9

### Point Number,Northing,Easting,Elevation,Sample ID

39391,3406023.04,1814169.89,51.9,7LFWS03  
39392,3406532.21,1813851.12,53.1,7LFWG01-1  
39393,3406532.88,1813851.41,52.9,7LFWG01-2  
39394,3406557.94,1813820.25,51.9,7LFWG01-3  
39395,3406576.07,1813802.30,51.4,7LFWG01-4  
39396,3406398.38,1813380.95,48.2,7LFWS01  
39397,3406135.59,1813156.81,50.8,7LFWS02  
39399,3404131.67,1812013.37,62.6,9LFWS04  
39400,3404076.75,1812169.64,66.7,9LFWG01  
39401,3403970.29,1812209.87,68.1,9LFWS03  
39402,3403934.10,1812058.57,71.9,9LFWS01/WS02  
39403,3399356.33,1812480.49,385.6,KMSWS01

### ECO-Land, LLC

Jamison L. Allan,  
Senior Field Party Chief

**Table F-1  
Sampling Points**

<b>Point number</b>	<b>Northing</b>	<b>Easting</b>	<b>Elevation</b>	<b>Sample ID</b>
39392	3406532.21	1813851.12	53.1	7LFWG01-1
39393	3406532.88	1813851.41	52.9	7LFWG01-2
39394	3406557.94	1813820.25	51.9	7LFWG01-3
39395	3406576.07	1813802.3	51.4	7LFWG01-4
39396	3406398.38	1813380.95	48.2	7LFWS01
39397	3406135.59	1813156.81	50.8	7LFWS02
39391	3406023.04	1814169.89	51.9	7LFWS03
39400	3404076.75	1812169.64	66.7	9LFWG01
39402	3403934.1	1812058.57	71.9	9LFWS01/WS02
39401	3403970.29	1812209.87	68.1	9LFWS03
39399	3404131.67	1812013.37	62.6	9LFWS04
39403	3399356.33	1812480.49	385.6	KMSWS01

**APPENDIX G**  
**Response to comments**

Alaska Department of Environmental Conservation (ADEC)  
Contaminated Sites Program

**Document Reviewed:** Draft November 2013 Northeast Cape Five-year Review Supplemental Site Investigation Report

**Commenter:** Curtis Dunkin-ADEC **Date Submitted:** December 18, 2013

#	Page #	Section	ADEC Comment	Response
1.		Document Title	The title of the document should be revised to clarify that this field effort was specifically associated with the first Five-year Review of sites 7 and 9. Note the work plan was titled ‘Supplement to the NEC HTRW Remedial Actions Work Plan’.	Accepted The report title will be changed to the following: “2013 SAMPLING CONDUCTED IN CONJUNCTION WITH THE 2013 FIVE YEAR REVIEW AT NORTHEAST CAPE”
2.	ES-1	Executive Summary	<p>Revise the second sentence by omitting the latter half beginning with ‘associated’ as this part of the sentence doesn’t make sense (it is assumed that samples were collected ‘where sampling occurred’). Also state here that only one of 5 attempts to collect groundwater samples was successful at sites 7 and 9 due to refusal. Also state wherever applicable throughout the document what the cause of refusal was (i.e. rock, bedrock, permafrost, etc.). Note that the work plan stated that refusal due to permafrost was expected at two feet bgs.</p> <p>Please briefly state in the executive summary and elsewhere in the document where applicable (objectives, etc.) that the field team also conducted site inspections of all sites being evaluated as part of the first Five-year Review. ADEC realizes that the results and observations of these inspections will be provided in the draft Five-year review report and that the subject report is intended to detail the sampling efforts and results. However all efforts conducted as a part of the mobilization associated with this sampling event and/or the Five-year review should be stated in this report.</p>	Accepted The text of the Executive Summary was updated for clarity.

3.	1-2	1.2	<p>Second paragraph of this section (and elsewhere throughout the document) please replace ‘Record of Decision’ with ‘Decision Document’.</p> <p>Revise the third sentence of the second paragraph of this section to clarify that the site-specific sampling conducted at sites 7 and 9 in 2013 was not part of the DD, rather determined in 2013 to be necessary to facilitate the 5-year Review Report.</p>	<p>Accepted All references to “Record of Decision” will be updated to “Decision Document.”</p> <p>Noted. The text of the second paragraph of Section 1.0 has been updated as follows: “Site-specific sampling was requested by community members at the two landfill sites and the seasonal drinking water source Kangukhsam Mountain Spring (Figure A-3). Sampling activities coincided with five-year review site inspections.”</p>
4.	1-2	1.3	<p>Add a sentence in the beginning of this section to clarify that in respect to groundwater, one of the objectives was to determine if groundwater was present within the targeted sampling zone at the time of the investigation.</p>	<p>The QAPP supplement used to complete the fieldwork does not define establishing the presence or absence of groundwater in the targeted sampling zone an objective.</p>
5.	3-4	3.2	<p>Site 9: Please explain how it was determined as stated in the second sentence of the first paragraph that ‘groundwater was encountered at 2.8 feet bgs’ when this well only produced 2.5 mL/min.</p> <p>The second paragraph should be revised and should further explain the issue why the analyses were not conducted due to the stated low groundwater production rate. Did this well point experience refusal at 2.8 feet bgs?</p> <p>Please revise the last sentence of this subsection to clarify that only the analytes which were analyzed did not exceed cleanup levels.</p>	<p>The text of section 2.3 will be updated to provide additional details regarding Cargo Beach Road Landfill (Site 7)</p> <p>Text regarding Cargo Beach Road Landfill (Site 7) will be deleted from the results Section 3.2</p>
6.	4-1	4.0	<p>Per the comments in # 5 above, the conclusions section should briefly elaborate on the potential data gaps which potentially exist as a result of 1) all well points except for one hitting refusal given that groundwater was encountered within the targeted sampling depth for the one well; and</p>	<p>Noted. The Five Year Review report will elaborate on any potential data gaps identified from the comprehensive review of site information. The Sampling Data Report only represents a single event and as</p>



			2) the hydrogeological dynamic associated with and specific to each of the site 7 and 9 landfills not being well characterized/understood.	such those conclusions are not appropriate for this report.
7.		Figure A-2	The site location of NEC is incorrectly depicted (too far east/northeast).	Accepted. Figure A-2 has been updated.
8.		Figure A-3	Please state Site 7 and 9 within the respective call out box for each site. Please add 'boundary' to the reference of landfill in the legend.	Accepted. Figure A-3 has been updated.
9.		Figures A-3 and A-4	The previous surface and groundwater sampling locations which have been discussed in both this report and its associated ADEC-approved final work plan should be depicted in these figures.  Please apply revision requests stated in comment # 8 above to these figures.	Accepted. Historical sampling locations referenced in this report have been added to the appropriate figures.
10.	B1	1.0	Please explain why the field team didn't or couldn't collect enough sample volume to run all of the planned analysis of analytes.	Accepted. The narrative regarding limited groundwater and why planned samples were not collected is now present in Sections 2.3.
11.	1-6	Analytical Data Table	Surface Water: The narrative of the data quality assessment should explain why so many of the analytes in many of the samples are depicted as 'no criteria/not analyzed'.	Noted. The surface water samples with analytes depicted as 'no criteria/not analyzed' correlate with the column adjacent. The samples were analyzed for dissolved metals and total metals; in order to distinguish between the two an "F" was added to the lab sample ID for dissolved metals analysis. The USACE MED requires lab sample ID to be present in the header information; therefore, the analysis for the sample was split in two columns.
12.	1	Analytical Data Table	Groundwater: Why are man of analytes/COCs not listed in this table?	Noted. See response to comment 11 as it also applies to groundwater.
13.			<b>End of ADEC Comments</b>	